

Subjects

- * Indicates book review
- ** Indicates correspondence
- † Indicates editor's corner

- Absenteeism, workplace, 262
- Abstinence
 periods of stable, 568
 and rates of workplace injury, 266-67
 resolve for, 464, 569
- Abstinence Violation Effect (AVE), 569-71
- Academic achievement, in adolescent children of alcoholics, 18-26
- Acamprosate, effects on memory, 172-75
- Acetaminophen (APAP) hepatotoxicity, 139-40**
- Achlorhydria, controlling for, 104, 107
- Addiction Research Foundation, 203
- Addiction Severity Index (ASI), 812
- Addiction Treatment Attitude Questionnaire (ATAQ), 849
- Adolescent Alcohol Involvement Scale (AAIS), 8-10
- Adolescent Diagnostic Interview (ADI), 337-40
- Adolescent drinkers
 and changing behavioral patterns, 352-53, 360
 health effects in, beverage-specific, 209-18
 heavy, and later problems with alcohol, 7
 initiation of drinking, and family density of alcoholism, 7-17
 marijuana use among, 237, 240, 337-44, 622-31
 mental health effects in, beverage-specific, 209-18
 motives of
 and predicting misuse, 491-99
 role of neurocognitive abilities in relapses, 500-508
 and parental drinking, 602
 closeness factor, 245-51
 gender factor, 249-50
 mediational analysis of, 24
 prevalence of consumption among, in wine-growing Mediterranean region, 228-33
 psychosocial and behavioral correlates of, 352-61, 595-604
 religious attendance among, 237, 240-41, 295
 protective value of, 301
 sensation-seeking tendency in, 621-31
 stress-coping model of addiction in, 712-18
 substance abuse among, etiology of, 293-305
 suicidal ideation among, 237, 239, 241
 transition into, risk and protective factors, 480-90
 violent behavior among, 237, 240
- Adolescent Relapse Coping Questionnaire (ARCQ), 503, 507
- Adult children of alcoholics (ACOAs), inducing aggressiveness in, 776-83
- Advertising alcoholic beverages, 86-88
 frequency and content analysis of, 394-99
- Affective disorders, *see* Psychiatric comorbidity; Psychological disorders of alcoholism
- Age differences, *see* Adolescent drinkers; Minimum drinking age laws; Older drinkers; Younger drinkers
- Agency, problems of the chronically addicted with, 137-38*
- Aggressiveness (*see also* Assaults; Domestic violence; Psychological disorders of alcoholism)
 in adult children of alcoholics (ACOAs), inducing experimentally, 776-83
 cumulative alcohol dosing effects on, 322-29
 ethnicity factors in, 65-67, 69
 gender factors in, 65-67, 69
 mothers' history of, 635
 in newlyweds, event-based analysis of drinking in, 537-45
 reducing, 535
 verbal, 637
- Aging and Independence Survey, 347
- AIDS epidemic, and intoxicated sexual risk taking, 54-63
 among gay men, 70-79
- AIDS Risk Reduction Model (ARRM), 838
- AL-ANON, 884*
- Alateen, 780
- Alcohol abusers, *see* Drinkers
- Alcohol and Drug Consequences Questionnaire, 757
- Alcohol and Drug Treatment Program (ADTP), 590
- Alcohol and Health Monograph, 78
- Alcohol availability
 government regulation of, 139**, 378
 in Hispanic and black communities, 603
 homicide rates and, 310-16
 workplace drinking and, 383-93
- Alcohol challenge paradigms, 785
- Alcohol Clinical Index (ACI), 279, 281
- Alcohol consumption, *see* Drinking
- Alcohol dehydrogenase (ADH) polymorphism, 149
- Alcohol dependence (AD)
 classifications of, and cross-cultural applicability, 448-62
 relationship to family history, and moderating effects of gender differences, 825-32
 short-term courses of, and other at-risk drinkers in household, 769-75
 symptoms of, 453-58
 elevated levels of gamma-glutamyltransferase (GGT), 589-94
 reciprocal neuroendocrine alterations, 586-88
- Alcohol Dependence Scale (ADS), 414, 416, 420, 439, 475, 477, 503, 540, 643-45
- Alcohol dependence symptoms (ADSX), 827-29
- Alcohol effects, 679-80 (*see also* Aggressiveness; Health effects; Psychological disorders of alcoholism)
 attention deficit disorder (ADD), 675
 executive function impairment, relationship to treatment outcomes, 846-55
 flush reaction, among Asian drinkers, 104
 glucagon secretion, 581-85
 harm minimization
 reliability and validity of scale for surveys, 203-8
 what works, 430*
 hypothermia, 168-71
 immunosuppression, 74
 impaired driving (*see also* DUI/DWI)
 planned avoidance of, 407-12
 inhibition conflict, and sexual risk taking, 54-55
 lifetime prevalence of, 165-67
 loss of control, 65-66, 68-69
 ethnicity factors in, 65-66, 68-69
 gender factors in, 65-66, 68-69

- memory impairment
 effects of acamprostate on, 172-75
 effects of moderate drinking on, 873-78
 individual differences in, 130-36
 measuring, 62
- motor impairment, 168-71
- muscle dysfunction, in detoxified alcoholics, 413-21
- physical, 431*
- on sensory processing, 879-83
- sexual expectancy, 54-63
- triggering cocaine relapses, 176-80
- on workplace performance, delayed, 262, 268
- Alcohol expectancies, 680, 682
 moderating effects of gender and ethnicity, 64-69
 and risky sexual practices, 54-63
 stress and anxiety reduction, 64-65
- Alcohol Expectancy Questionnaire (AEQ), 132, 134, 859
- Alcoholic beverages (*see also* Beer drinking; Spirits; Wine drinking)
 advertising, 86-88
 consumption of, *see* drinking
 measures of, *see* frequency measures; quantity measures
 parents controlling in home, and alcohol use by children, 362
 sales of
 data on, 80
 in on-premise drinking places, 47-53
 specific
 and impact on adolescent drinkers' health, 209-18
 questions about *versus* grouped-beverage questions, 99-102
 taxing, 138*
- Alcoholics, *see* Drinkers
- Alcoholics Anonymous (AA)
 attendance predicting better outcomes, 569
 blacks attending, 810-15
 college students attending, 884*
 gay men attending, 838
 improving minority representation in, 810-16
 improving self-reporting, 572
 in the Netherlands, 123
 as treatment, 437-38, 440, 444-46, 464
 most widely used source of, 867-68
- Alcohol industry, 720* (*see also* Alcohol availability; Alcohol servers; Bar owners; Drinking places; Liquor stores)
 government regulation of, 138*
- Alcohol-involved fatally injured drivers (AIFIDs), 408
- Alcoholism (*see also* Family history of alcohol disorders; Psychological disorders of alcoholism; Relapses)
 complicated, 199
 development of, "telescoped" among women, 252-60
 disease model of, 186
 and health-related quality of life, sociodemographic measures of, 653-62
 within marriages, 368
 prodromal conditions to, 185
 severity of
 and emotional suffering, 200
 perceived threshold of, 449
 and psychiatric comorbidity, 200
 and social impairment, 200
 symptoms of, 453-58
 Type A *versus* Type B, 189
 typologies of, comparative validity, 188-202
- Alcohol metabolism
 involving aldehyde dehydrogenase (ALDH2) genotype
 and flushing response in Native Americans, 149-58
 and genetically mediated variability in risk factors in Asian Americans, 784-89
 kinetics of, 109
 measuring, 103-8
- Alcohol or other drug problems (AOD) diagnosis, and mothers' punitiveness toward their children, 632-42
- Alcohol-related mortality
 assessing, 742
 relationship with average alcohol intake
 confounded by social integration, 740-45
 U-shaped, 725-31
- Alcohol Research Center Intake Interview (ARCII), 331
- Alcohol Research Group (ARG), 79-80, 733, 811
- Alcohol servers
 literacy levels of, 35
 training intervention
 cognitive analysis of, 37-46
 long-term effects of, 27-36
- Alcohol Severity Index (ASI), 280
- Alcohol tolerance
 assessing, 343
 defined, 453
 ethanol sensitivity and acute, 168-71, 400
 and homozygosity for *ALDH2**2 allele, 784-85, 787
- Alcohol treatment center (ACT) inpatient units, 331
- Alcohol Use Disorder Identification Test (AUDIT) instrument, 757
 Clinical Procedure, 279, 281-82
 Core Questionnaire, 113, 307
- Alcohol Use Disorders and Associated Disabilities Interview Schedule (AUDADIS), 182-83, 424, 696-98, 748, 750-51, 771
 Spanish version, reliability of, 790-99
- Alcohol Use Inventory (AUI), 191, 194-200
 advantages of, 200
 predictive power of, 199-200
- Aldehyde dehydrogenase (ALDH)
 deficiencies among Native Americans, 149-51, 157
 genotype of
 and flushing response, in Native Americans, 149-58
 and polymorphisms, 149
 in Asian Americans, 784-89
*ALDH**2 allele genotyping, 149-50, 154, 784-89
 homozygosity in, 784
- American Psychiatric Association, 273, 448, 463, 466, 478, 827
 (*see also* Diagnostic and Statistical Manual of Mental Disorders)
- Amount consumed, *see* Frequency measures; Quantity measures
- Amyl nitrite use, in gay men, 70, 72, 74
- Analgesic use, dangers to chronic alcohol abusers, 139-40**
- ANCOHET model, 286
- Anger expression, predicting child abuse potential, 634
- Animal studies, on rats
 differences in ethanol sensitivity and acute tolerance, 168-71
 physical dependence after treatments with benzodiazepines, 546-54
- Anthropological approach, 137-38*
- Antisocial personality (ASP) disorder, *see* Psychological disorders of alcoholism
- Anxiety, *see* Psychological disorders of alcoholism
- Approval of drinking, *see* Drinking
- Arginine
 metabolic responses, in chronic alcoholics, 581-85
 tolerance test (ATT), 582
- Arrests, reducing repeat, for DUI/DWI (driving under the influence/driving while intoxicated), 514-20
- Assaults (*see also* Homicide rates)
 role of alcohol in, 528-36

- Attitudes, cluster analysis of, 667-74
 Authoritative Parenting Index, 364
 Availability, *see* Alcohol availability
 Awareness of drinking, *see* Self-focusing
- BACCuS software, 285
- Bar owners
 policies adopted by, 37, 39-45
 services provided to customers, 44-46
 TIPS-trained, 38
- Beck Anxiety Inventory, 272
- Beck Depression Inventory (BDI), 173-74, 272, 474-76, 571, 698
- Beer drinking
 correlated with heavy drinking, 617
 and most hazardous alcohol consumption, 732-39
 predictor of drinking while driving, 467
 preferred by younger male drinkers, 210
- Behavioral marital therapy (BMT) program, 317-21
- Behavioral Risk Factor Surveillance System (BRFSS), 99, 101, 663
- Benzodiazepine, physical dependence after treatments with, 546-54
- Beverages, *see* Alcoholic beverages; individual beverages
- Biochemical factors (*see also* Pharmacokinetic effects)
 in family history of alcoholism, 776-83
- Bioelectric impedance methodology, 414
- Biphasic Alcohol Effects Scale (BAES), 131-32, 134
- Bipolar disorder, *see* Psychiatric comorbidity
- Black drinkers
 epidemiology of youth, 800-809
 moderating factors, among inner-city adolescents, 595-604
- Blood alcohol concentrations (BACs), 28, 90, 93-96, 432*
 assessing, 152, 677
 computerized, 881
 customer exit, 37-38
 following previous night's intoxication and sleep, 261-62
 highest measured, 400-406
 increasing with age, 103-10
 peak, 153, 285-87
 in roadside breath tests, 48, 51-52
- Blood aldehyde determinations, 152
- BMDP software package, 10
- Box-Jenkins estimates, 650
- Bramley Bill (Rhode Island), 35
- Breath alcohol concentrations (BrACs), 874-75
 ethanol dosing required to reach peak, 555-65
- Brief Drinker Profile (BDP), 285
- Brief Psychiatric Symptom Inventory, 859
- Brief Symptom Inventory (BSI), 849
- Buffalo Longitudinal Survey of Young Men (BLSYM), 246, 249
- Buffalo Newlywed Study (BNS), 539
- Bureau of the Census, 423, 665, 747, 760-61
- Bureau of Economic Analysis, 649
- Buss-Durkee Hostility Inventory (BDHI), 777-78, 780
- CAGE (Cut Down on Drinking, Annoyed, Guilt and Eye-opener)
 test, 205-6, 263, 266, 279, 281, 307, 468-70
 compared with TWEAK test, 705-11
- Cahalan drinking classification procedure, 503
- California Psychological Inventory, 474-75
 Good Impression Scale, 40
- California Verbal Learning Test (CVLT), 503
- Campus Office of Substance Abuse Prevention (COSAP) survey, 686-87
- Canadian Alcohol and Drug Survey (CADS), 463-66, 468, 868
- Catchment approach, weakness of, 431*
- Category Test (CAT), Booklet version, 849-50, 852
- Center for Epidemiological Studies-Depression Scale (CES-D), 347
- Centers for Disease Control and Prevention (CDC), 99, 306, 663
- Central nervous system (CNS) effects
 depressant, 274, 552, 675
 excitation, 547
 stimulant, 274
- Cerebral spinal fluid (CSF), serotonin metabolites in, 776
- Certificates of confidentiality, 20, 161, 307
- Change processes, in 12-step treatment, 846-55
- Child Abuse and Neglect Enforcement Act of 1997, 633
- Child Abuse Potential (CAP) Inventory, 633, 636
- Child and Adolescent Psychiatric Assessment (CAPA) semistructured interview, 295
- Child physical abuse (CPA), rates in families with alcohol or other drug problems, 633
- Child Protective Services, 633
- Child-rearing, mediating women's drinking, 369, 376
- Children
 alcohol use by, and parental socialization, 362-67
 perceptions of parental drinking, 817-24
 punitiveness towards, and mothers' alcohol and other drug problems, 632-42
- Children of alcoholics (COAs)
 academic achievement in adolescent, 18-26
 adult (ACOAs), inducing aggressiveness in, 776-83
 neuropsychological characteristics of, and familial density, 509-13
- Children of Alcoholics Life-Events Schedule, 818
- Children's Embedded Figures Test (CEFT), 510-11
- Child sexual abuse (CSA), rates in families with alcohol or other drug problems, 633
- Chi-squared Automatic Interaction Detector (CHAID) analysis, 237-42
- Chromatography
 headspace gas (HS-GC), 401
 high-pressure liquid, 547, 779
- Chronic drinkers
 assessing, 123-24, 769-75
 and metabolic response to arginine infusion, 581-85
 malnutrition in, 140**
 and predisposition to acetaminophen toxicity, 139-40**
 understanding, 137-38*
- Cigarette smoking, *see* Smoking
- Circadian rhythms, compensating for, 778
- CLARITAS database, 408
- "Cleaning" samples of alcoholics, 8
- Clinical research units (CRUs), 253
- Clinical validity
 of alcohol-related harm scale for surveys, 203-8
 comparative typologies of, 188-202
 of Spanish version of the Alcohol Use Disorders and Associated Disabilities Interview Schedule (AUDADIS), 790-99
- Clinician Rating Scales (CRS), 279
- "Clinimetric" approach, 205
- Cloninger typology, 192, 198-200
- Closeness, and influence of parental drinking in adolescent alcohol abuse, 245-51
- Cluster analytic models, 667-74
 generating, 668
 validating, 672
- Cocaine Anonymous (CA), 812-14
- Cocaine Relapse Interview (CRI), 177, 179, 568
- Cocaine use
 in gay men, 70, 72, 74
 relapses related to alcohol use, 176-80, 275
- Cognitive and Personality Factors Family Study, 8
- Cognitive Appraisal of Risky Events (CARE-R) questionnaire, 56-57

- Cognitive behavioral control (CBC) factor, 643-45
 Cognitive-behavioral model, of relapse, 567-68
 Cognitive emotional preoccupation (CEP) factor, 643-45
 Cognitive function
 home stimulation for children of alcoholics, 19
 impaired by alcohol, 54-63
 College of American Pathologists, 590
 College students, *see* Student drinkers
 Community Alcohol Abuse and Injury Prevention Project (CAAIPP), 27-36
 Community-based studies
 of diagnosis bases, 181-87
 of HIV infection, 76
 Community drinking practices, 349
 gatekeeper approach to, 35
 role of alcohol servers in, 27
 systems approach to prevention, 431-32*
 Community Epidemiology Laboratory (CEL), 811
 Community Oriented Program Environment Scale, 859
 Comorbidity
 of alcoholism and social phobia, 472-79
 of cocaine relapses and alcohol use, 176-80
 in parental alcohol abuse, and predicting adolescent alcohol abuse, 8
 psychiatric, 258
 modeling effective treatment factors for, 856-66
 and severity of alcoholism, 200
 of substance dependence and personality disorders, 271-77
 Competitive Reaction Time Task, 322
 Complex Figure Test, 511
 Composite International Diagnostic Interview (CIDI), 448, 451, 707, 790, 792
 Computed tomography imaging, 420
 Computerized Diagnostic Interview Schedule (C-DIS), 473-74
 Computerized studies, 875 (*see also* individual software programs)
 Concern about drinking (CAD) factor, 643, 645
 Condom use
 among gay men, 71
 frequency of intoxicated, 58-59
 Conduct disorder (CD), *see* Psychological disorders of alcoholism
 Conflict Inventory, 539
 Conflict Tactics Scale (CTS), 539-40, 633, 635-36
 Consumption of alcohol, *see* Drinking
 Content analysis, of alcohol advertising, 394-99
 themes of, 399
 Continuing Recovery Groups (CRGs), 838-42
 Control, defining impaired, 455
 Controlled substances, *see* Substance use disorders; individual controlled substances
 Coping Assistance Battery, 608
 Coping reasons for adolescent drinking
 and predicting alcohol misuse, 491-99
 and relapses to alcohol and drug use, role of neurocognitive abilities in, 500-508
 Cortisol, 779-80
 aggressiveness correlated with, 777
 Cox proportional hazards regression model, 10-12, 485, 496
 Cravings, defined, 455
 Credit cards in liquor stores, impact on drinking patterns, 378-82
 Criminal activity, *see* Arrests; Domestic violence; Homicide rates
 Critical flicker fusion (CFF) frequency, 879-83
 Cross-classification, of psychopathy and ASPD, 333
 Cross-cultural applicability
 of classifications of alcohol dependence, 448-62
 of evaluations of alcohol dependence, 790-99
 Cross-Cultural Applicability Research Project (CAR), 448-62
 Cross-lagged causal modeling, 113-19
 Cross-sectional studies, 75, 214, 268, 315, 494-95, 648
 Cross-validation design, 474
 Cultural variability, *see* Drinking, problems with
 Customary Drinking and Drug Use Record (CDDR), 503-4
 Cytochrome P-450 mixed-function oxidase pathway, inducing, 140**
 Daily Drinking Questionnaire (DDQ), 56, 60
 Decisional Balance Measure (DBM), 686-90
 Decision making, in seeking help for drinking problems, 121
 Denver Indian Health and Family Services (DIHFS), 150
 Department of Commerce, 649, 651
 Department of Health and Human Services, 20
 Department of Labor, 649
 Department of Veterans Affairs (VA) Medical Centers, 20, 189, 318, 590
 treatment programs in, 856-65
 Depression, *see* Psychological disorders of alcoholism
 Desired Server Behavior Index (DSBI), 31-33
 Detoxification
 muscle performance in, 413-21
 programs for, 438, 446
 Diagnostic and Statistical Manual of Mental Disorders (DSM-III)
 criteria for alcoholism, 9, 19, 189-90, 330, 694
 criteria for ASPD, 282-83, 332, 336
 Diagnostic and Statistical Manual of Mental Disorders (DSM-III-R), 590
 criteria for alcohol dependence, 73-74, 151, 161, 164, 176, 183, 185, 253, 473, 502, 591-92, 654-55, 694, 696, 705, 746, 770-71, 791, 827
 criteria for ASPD, 282-83, 331
 criteria for drug dependence, 73-74, 259, 279, 282, 337-43
 criteria for lifetime psychiatric diagnoses, 655-56
 criteria for social phobia, 472-79
 Structured Clinical Interview for, 71-73, 307
 Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)
 criteria for alcohol dependence, 131, 235, 237, 337-44, 448-62, 586, 654, 694-705, 707-8, 710, 736, 770-73, 777, 791-97
 validity of, 181-87
 limited to drunk driving, 746-55
 criteria for ASPD, 332, 336, 473
 criteria for drug dependence, 337-44, 848, 884-85
 criteria for mental disorders, 423-24
 subtyping alcoholics in, 189
 Diagnostic and Statistical Manual of Mental Disorders (DSM-PC), for private care physicians, 343
 Diagnostic Interview Schedule (DIS), 8, 65, 104, 161, 448, 451, 790, 797
 Computerized (C-DIS), 473-74
 Diazepam, physical dependence after treatments with, 546-54
 Digit span test, 173
 Discharge Information Form, 859
 Discriminant function analyses (DFAs), 610-11
 Disease model of alcoholism, 186
 Diseases, *see* Health effects
 Disinhibition, *see* Alcohol effects
 Dissertation Abstracts, 91
 Disulfiram, 179
 Divorce rates, and alcohol consumption, 647-52
 Domestic violence
 before and after alcoholism treatment, 317-21
 and alcohol abuse, 633-34
 in newlyweds, 537-45
 and victimization of women, 534-35
 Drinker Inventory of Consequences (DrInC), 253

- Drinkers (*see also* Adolescent drinkers; Children; Chronic drinkers; Older drinkers; Parents; Pregnant drinkers; Younger drinkers)
- at-risk in household, and short-term courses of alcohol dependence, 769-75
 - Canadian population of, lifetime help-seeking among, 867-72
 - "cleaning" samples of, 8
 - heaviest
 - blood alcohol concentrations of, 400-406
 - price sensitivity of, 87
 - underrepresented in studies, 84
 - in the U.S., 78-89
 - homeless, rates of alcohol disorders in, 84
 - resolving problems without treatment, 120
 - services provided by bar owners to, 44-46
 - U.S., population of
 - suicidal ideation among, 422-29
 - typologies characterizing, 667-74
 - with and without social phobia, 472-79
- Drinking, 78 (*see also* Abstinence; Detoxification; Inebriation; Relapses; Withdrawal)
- approval of
 - by co-workers, of workplace drinking, 388
 - by parents, of alcohol use by children, 362
 - by peers, 623-24
 - assessing, 482, 556, 649, 741
 - beverage-specific *versus* grouped-beverage questions in, 99-102
 - detailed instruments for, hidden costs of using, 756-58
 - severity of problems with, 120-21, 234-44
 - causes of, linked to socioeconomic factors, 759-68
 - community practices, 27
 - developmental, 884*
 - and divorce rates, 647-52
 - experimental, 598-99
 - food effects during, 109
 - frequency, predictive of problem drinking, 243
 - heavy
 - and affect on workplace performance, 262
 - among beer drinkers, 617
 - among older men, 350
 - among wine drinkers, 467-71
 - defining, 72, 183
 - and divorce and separation, 647-52
 - episodic, 410-11, 664-65, 730
 - historical perspective, 431
 - initiation of
 - and conduct disorder, 163
 - and family density of alcoholism, 7-17
 - and risk of adolescent alcohol abuse, 362
 - landmark events associated with, gender differences in, 252-60
 - modeling, 90-98
 - moderate, 464
 - effects on immediate number recall, 873-78
 - motives
 - for alcohol misuse in adolescents, 491-99
 - assessing, 221
 - coping with negative affect, 694-704
 - onset of
 - in adolescents, and family density of alcoholism, 7-17
 - and landmark events, 258
 - patterns of
 - in the American Deep South, 663-66
 - among social networks, 124-25
 - among youthful problem drinkers, 605-14
 - changes following introduction of credit cards in liquor stores, 378-82
 - and consequences, 720*
 - and depression, 118-19
 - discontinuous, 605, 611
 - harm resulting from, 430*
 - and health effects, 725-31
 - impacting, 139**
 - most hazardous linked to beer, 732-39
 - versus* quantity of, 88
 - problems with
 - controlling, in the workplace, 269
 - defining
 - among younger drinkers, 234-44, 605-14
 - cross-culturally, 448-62
 - in the workplace, 263
 - different criteria for, 463-66
 - maturing out of, 612
 - recognizing, by self-focusing, 685-93
 - screening for, in general population, 705-11
 - reduced, 85
 - restraint in, gender differences in, 643-46
 - stress as motive for, in younger drinkers, 219-27
- Drinking-driving (DD)
- defined, 621
 - related to riding with drunk drivers, 615-21
- Drinking-in-the-event variables, 531, 533-34
- Drinking Motives Questionnaire, 332
- Drinking places, role in DUI/DWI (driving under the influence/driving while intoxicated), 47-53
- Drug Abuse Screening Test (DAST), 279, 281
- Drug Indulgence Index, 503
- Drug use (*see also* Prescription drugs for anxiety or depression ; Substance use disorders; individual controlled substances)
- by adolescents
 - and ethnicity, 719*
 - temptations for, 712-18
 - correcting for, 423-24
 - defined, 295, 801
 - frequency measures of, 339
 - problems collecting data on, 267
- DSTAT meta-analytic software, 91
- Dual diagnosis patients, *see* Comorbidity
- DUI/DWI (driving under the influence/driving while intoxicated), 242
- legislating penalties for, 138
 - programs for, 812
 - reducing rearrest rates of, with Victim Impact Panels, 514-20
 - role of on-premise drinking places in, 47-53
 - serving policies aimed at reducing, 37-46
- Duke Social Support and Stress Scale, 347
- Dyadic Adjustment Scale, 295
- Dysfunction/disinhibition hypothesis, 75
- Early Recovery Groups (ERGs), 838-39
- Edinburgh Inventory, 511
- Educational efforts
- aimed at fraternity and sorority members, 521-27
 - aimed at public, 430*
 - aimed at reducing DUI/DWI (driving under the influence/driving while intoxicated), 44-45
 - Victim Impact Panels, 514-20
 - aimed at women, 431*
 - workplace, 269
- Electric Diaries, 570

- Electroencephalographic (EEG) threshold testing, 547-48, 552
- Embedded Figures Test (EFT), 510-11
- Emotional suffering, and severity of alcoholism, 200
- Employee assistance programs, 269
- Employee drinking practices, and work performance, 261-70
- Employment status, impact on drinking patterns, 127
- Encephalopathy, chronic, 140**
- Environmental factors, *see* Family history of alcohol disorders
- Enzyme Multiple Immunoassay Technique-Drug Abuse Urine Assay, 323
- Epidemiological Catchment Area (ECA) Study, 20, 65, 159, 161, 181, 282, 472, 633, 706, 825
- Epidemiologic studies, 73-74, 99, 300, 800-809
comparative, 790-800
- Epi Info 6 software, 228-29
- Epinephrine, 777, 779-80
- Epiphenomena model, 695-96, 698-702
- Ethanol dosing, required to reach peak breath alcohol concentrations (BrACs), 555-65
- Ethanol sensitivity, and acute tolerance, 168-71
- Ethnic differences
acculturation, 69
a protective factor for some Hispanic youth, 719*
in Alcoholics Anonymous affiliation, at treatment intake, 810-16
in comparing CAGE and TWEAK tests, 705-11
and drug use, among adolescents, 719*
epidemiology of substance abuse, among black youth, 800-809
evaluating, with Spanish version of the Alcohol Use Disorders and Associated Disabilities Interview Schedule (AUDADIS), 790-99
flushing response
among Asian drinkers, 104
among Native American drinkers, 149-58
genetically mediated variability in risk factors, in Asian Americans with ALDH2 polymorphisms, 784-89
Irish drinkers, 65-66, 69
knowledge about fetal alcohol syndrome (FAS), among Native Canadians, 833-36
low self-rating responses to alcohol, among Korean respondents, 788
moderating effects
on alcohol use among inner-city Hispanic and black adolescents, 595-604
on relationship between alcohol problems and alcohol expectancies, 64-69
- Ethnographic studies, 65, 385
- Ethylene-diamine-tetraacetic acid (EDTA), 779
- Event-based analyses (*see also* Drinking-in-the-event variables)
of husband marital aggression, 537-45
- Expectancies, *see* Alcohol expectancies
- Expectations for Academic Achievement scale, 355
- Expectations for Independence scale, 355
- Exploratory/Confirmatory (E/C) analysis, 474-75
- Extroversion, mediating or moderating familial loading, 13-14
- Eysenck Personality Questionnaire (EPQ), 131
- Family Adaptability and Cohesion Scales (FACES), 246
- Family Adaptability and Family Togetherness Scale, 295
- Family Environment Scale, Child's version, 15
- Family History Assessment Module (FHAM), 826
- Family history (FH) of alcohol disorders, 7-17
biochemical factors, 776-83
genetic factors, 7, 15
moderating factors, gender differences, 825-32
and neuropsychological characteristics, in children of alcoholics, 509-13
and onset of drinking, in adolescents, 7-17
predictive validity of, 8
poor, 200
and pregnant drinkers, 287
and short-term courses of alcohol dependence, 769-75
and suicidal ideation, 427
- Family History-Research Diagnostic Criteria (FH-RDC), 20, 332
- Family Informant Schedule and Criteria (FISC) list, 826
- Family organization, mediating effects of parental alcoholism, for children of alcoholics, 19
- Fasting studies, *versus* fed, 109
- Fatal Accident Reporting System (FARS) study, 407-8
- Feighner diagnostic criteria, 9
- Fetal alcohol syndrome (FAS), 885*
increasing rates of, 306
preventing, 285-87
- "File-drawer problem," 95
- 5-hydroxy-Indol-Acetic Acid (5-HIAA), low levels of, 776
- Flushing response, among Oriental drinkers, 104, 149-58
- Focus groups, research advantages of, 63
- Follow-up Drinker Profile (FDP), 286
- Follow-up Information Form (FIF), 859
- Food effects during drinking, 109 (*see also* Malnutrition)
in chronic alcoholics, on metabolic response to arginine, 581-85
- Four Factor Index of Social Status, 9
- Fraternity drinking, *see* Student drinkers
- Frequency measures (*see also* Quantity-frequency indices)
of alcohol advertising, 394-99
graduated, 80, 83, 733-34
- GABA receptors, 172, 552
challenges to, 776
- Gamma-glutamyltransferase (GGT), elevated levels symptomatic of alcohol dependence, 589-94
- Gastric alcohol dehydrogenase (ADH) activity, 103, 107-9
- Gastric emptying studies, 103-10
- Gay men
psychological processes in, 72
risk of HIV infection, and substance use disorders, 70-77, 837-45
- Gender differences (*see also* Men; Women)
absent, in impairment effects, 217-18
in comparing CAGE and TWEAK tests, 705-11
in influence of parental drinking, on adolescent drinkers, 249-50
in landmark events associated with drinking, 252-60
moderating effects
on relationship between alcohol dependence and family history, 825-32
on relationship between alcohol problems and alcohol expectancies, 64-69
in restraining drinking, 643-46
and stress-motivated drinking, in younger drinkers, 219-27
- Generalizing model, 695, 698-702
- General Life Events Schedule for Children (GLESC), 21
- General Severity Index (GSI), 190-93, 195-98
- Genetic factors
distinguishing from environmental, 301
in ethanol sensitivity, 168-71
in family history of alcoholism, 7, 15
in substance abuse, among adolescent twins, 293-305
- Geocoding, 311
- Global Assessment Scale (GAS), 190, 195-98
- GLOBE study, 726
- Good Impression Scale, 40
- Government regulation
of alcohol availability, 139**, 378, 430*
of alcohol industry, 138*

- Graduated frequencies (GF), *see* Frequency measures
 Granger's causality test, 649-50
 methodology, 762-64
 time series analyses, 759-68
 Growth hormone, 777, 779-80
 Guidelines, developing for ethanol administration, 555-65
 Guttman scale, probabilistic version, 205
- Halstead-Reitan Battery, 848
 HANES I, 78
 Harmful use
 defined, 457
 lowest among wine-only drinkers, 469
 "Hassle" factor, 42, 45
 Hausman specification tests, 49
 "Hazard ratios" (HR), 496
 Health and Daily Living (HDL) Form, 414, 439, 859
 Health and Habits Survey, 307-8
 Health and Human Development Project (HHDP), 607
 Health Behavior Project, 353-54
 Health Behavior Study, 353-54
 Health Behaviour School Children Survey, 232
 Health effects (*see also* Alcohol-related mortality; Psychological disorders of alcoholism)
 beverage-specific, on adolescent drinkers, 209-18
 coronary heart disease (CHD), 741
 listed, 86, 213
 liver cirrhosis, 85-86
 decompensated, 140**
 diagnosing, 589-94
 and patterns of drinking, 725-31
 which limit gastric emptying, 104
 Health-related quality of life (HRQL), in alcoholism, and socio-demographic measures, 653-62
 Heilman's warning signs, 339
 Help seeking
 decision making in, 121
 lifetime, 867-72
 Hepatic alcohol dehydrogenase (ADH) activity, 109
 Hexobarbital testing, 547
 High school students, *see* Adolescent drinkers
 Hippocampal volume, compared with pituitary volume, 586-88
 Hispanic drinkers, moderating factors, among inner-city adolescents, 595-604
 HIV infection
 community-based studies of, 76
 curbing, 430*
 risks in gay men, and substance use disorders, 70-77
 Hollingshead Four Factor Index of Social Status, 9, 255, 414
 Homeless drinkers, *see* Drinkers
 Homicide rates, and alcohol availability, 310-16
 Hopelessness, *see* Psychological disorders of alcoholism
 Hostility, *see* Aggressiveness
 Human Subjects Committees, 556
 Hypercortisolemia, 586-88
 Hypochlorhydria, controlling for, 104, 108
- Identity formation, disruptions to, 137-38*
 Impact of Alcoholic Beverage Warning Labels study, 79-80
 Impulsivity, 530
 Independence-Achievement Value Discrepancy index, 355
 Index of Social Position, 192
 Indian Health Service (IHS), 160
 Individual differences
 in alcohol effect on memory, 130-36
 in performance, modifying, 675-84
 in pharmacokinetic parameters, 559-63
 Inebriation, recovery from gross, 405
 Information and Referral (I&R) centers, 438-39, 446
 Information technology, impact of drinking on, 873-78
 Inhibition conflict, *see* Alcohol effects
 Initiation of drinking, *see* Drinking
 Inpatient treatment populations
 antisocial personality disorders (ASPDs) in, 330-36
 personality disorders (PDs) in, 271-77
 Institute of Medicine, 87, 463
 Institute of Survey Research (ISR), 79, 529, 654, 706
 Institutional Review Boards, 210, 502, 586
 Intake Information Form (IIF), 859
 Intensive outpatient rehabilitation program (IOP), 176-77, 179
 Interaction effects, 216, 684 (*see also* Closeness)
 Intercourse, *see* Gay men; Sexual risk taking
 International Center for Alcohol Policies, 720*
 International Classification of Diseases
 Version 9 (ICD-9-CM), 189, 858
 Version 10 (ICD-10), 205
 coding abuse diagnoses, 181, 448-62, 705, 707-8, 710, 771, 790
 limited to hazardous use, 746
 validity of, 460
 Interventions
 specialized, 7
 targeting, towards adolescents with mental or physical health problems, 218
 in training of alcohol servers, long-term effects of, 27-36
 Interviews
 semistructured, 295, 384
 telephone, 203-8, 379, 408, 615, 654, 663
 random digit dial (RDD), 79, 464, 492-93, 868
 Time-Line Follow-Back (TLFB), 176-80, 307-8, 318
 videotaped, 71
 Intolerance of Deviance scale, 355
 Intravenous (IV) drug use, 75
 Iowa Tests of Basic Skills (ITBS), 21
 Irish drinkers, 65-66, 69
- Joint Project on Diagnosis and Classification of Mental Disorders, Alcohol- and Drug-Related Problems, 451
 Junior Eysenck Personality Inventory (JEPI), 10, 14-15
- Kiddie-Schedule for Affective Disorders and Schizophrenia (K-SADS), 8-9
 Expanded, 10
- Landmark events
 associated with drinking
 age-of-onset for, 258
 gender differences in, 252-60
 order of, 255-57
 cultural assumptions about, 450
 Lang skin-fold caliper, 414
 Liability-threshold model, 293
 Licensed premises, 48
 LIDO-Active Isokinetic Apparatus, 414-15
 Life Events Questionnaire, 757
 Life Stressors and Social Resources Inventory, 439
 Liquor stores
 introduction of credit cards in, and changes in drinking patterns, 378-82
 location of, 310-16, 431-32*

- LISREL-8 analyses, 211, 215, 355, 618
 Liver enzymes, 590
 Loevinger's H_{ij} , 204
 Logical Memory text, 131
 Logical regression analyses, 73, 183, 229, 427, 494, 518, 530, 597-600, 737
 Longitudinal studies, 317-21, 352-61, 437-47, 595-614
 Long-term potentiation (LTP), diminished, 172, 174
 Lorazepam, physical dependence after treatments with, 546-54
 Louisiana Alcohol Policy Needs Assessment Database (LAPNAD), 311
- MADD Server Training Program, 38
 Magnetic resonance imaging (MRI), 420, 587
 Major depressive episode (MDE) diagnosis, 475-76, 586 (*see also* Psychological disorders of alcoholism)
 Malnutrition, in chronic drinkers, 140**
 Manifest anxiety, mediating or moderating familial loading, 13-14
 Manifest Anxiety Scale (MAS), Children's Revised, 10, 13-14
 MapMarker software, 311
 Marijuana use
 in adolescent drinkers, 237, 240, 337-44
 comparing temptation with alcohol use, 712-18
 in black youths, 800-809
 in gay men, 70, 72
 and workplace settings, 264, 268
 Marital status (*see also* Divorce rates)
 heightening barrier to suicidal ideation, 426-26
 impact on drinking patterns, 127
 among adolescent drinkers, 242
 among newlyweds, 537-45
 and wives' convergence with their husbands' alcohol use, social conditions as mediators, 368-77
 Marital violence, *see* Domestic violence
 Marlatt relapse coding system, 568
 Massachusetts Server Training Program, 38
 Mediational analysis, of parental alcohol abuse, impact on adolescent alcohol abuse, 24
 Medical History Questionnaire, 78
 Medical Outcomes Study (MOS)
 SF-36 design measures, 654-59
 modifications to, 661
 psychometrics of, 655
 Short Form -20 (SF20), 654-55
 Mehrfachwahl-Wortschatz Intelligence Test, 173
 Memory impairment, *see* Alcohol effects
 Men (*see also* Gay men)
 heavier drinking by, 69
 and marital aggression in newlyweds, 537-45
 norms associating drinking with, 220
 sip volume in, 96
 younger
 preference for beer, 210
 preventing aggressive behavior in, 535
 Mental illnesses, *see* Psychiatric comorbidity
 Meta-analyses, 528, 877
 defined, 90
 Metabolic effects, *see* Alcohol metabolism
 Metropolitan statistical areas (MSAs), 801
 Michaelis-Menten kinetics, 405
 Michigan Alcoholism Screening Test (MAST), 279, 281, 307, 318, 707, 817-20
 brief version (BMAST), 131, 705
 German version, 173
 Micro TSP software, 649
 Millon Clinical Multiaxial Inventory-II, 271
 Mini-Mental State Examination (MMSE), 279
 Spanish version, 792
 Minimum drinking age laws, 310
 Minnesota Community Training Program, 38
 Minnesota Multiphasic Personality Inventory (MMPI), 190-91, 193-99, 777-78
 MacAndrew Scale, 193
 MIXOR software, 841
 Modeling paradigm
 for manipulating alcohol intake, 97
 meta-analytic review of, 90-98
 Models of alcohol use
 parents
 and alcohol use by children, 362
 and children's perceptions of, 817-24
 peers, 482-89, 622-31
 Moderate drinking, *see* Drinking
 Mokken scaling, 204-6
 Monitoring, *see* Parents
 Monitoring the Future Study (MFS), 300, 360, 595, 801
 Mortality, *see* Alcohol-related mortality
 Motherhood, *see* Child-rearing; Fetal Alcohol Syndrome (FAS); Parents; Pregnant drinkers
 Mothers Against Drunk Driving (MADD), 514
 Motivational interviewing (MI), of pregnant drinkers, 285-87
 Multicenter AIDS Cohort Study, 71
 Multiple Risk Factor Intervention Trial (MRFIT), 740-45
 Münchner Alkoholismus Test, 173
 Muscle dysfunction, *see* Alcohol effects
 Myopathy, *see* Alcohol effects
- N-acetyl-p-benzo-quinoneimine (NAPQI), producing, 140**
 Naltrexone, 179
 Narcotics Anonymous (NA), 812-14
 blacks attending, 810
 college students attending, 884*
 gay men attending, 838
 National Alcohol and Drug Survey, 468
 1990 National Alcohol Survey (NAS), 79-81
 1995/96 National Alcohol Survey (NAS), 733
 National Center for Health Statistics, 78, 649
 National Centre for Research into the Prevention of Drug Abuse, 48
 National Comorbidity Survey, 472, 478, 825
 National Crime Information Center (NCIC), 516
 National Family Violence Re-Survey, 318
 National Health Interview Survey, 705
 National Highway Traffic Safety Administration (NHTSA), 27, 29-30, 407-8, 617
 National Household Survey on Drug Abuse, 300-301
 National Institute of Mental Health (NIMH), Epidemiological Catchment Area studies, 65
 National Institute on Alcohol Abuse and Alcoholism (NIAAA), 78, 86, 185, 279, 306, 423, 649, 696, 747, 760
 National Health Interview Study, 467, 470
 reports to Congress, 139**
 National Institute on Drug Abuse, 300
 National Longitudinal Alcohol Epidemiologic Survey (NLAES), 422-29, 705, 747, 770
 National Research Council, 87
 National Study of Adolescent Drinking, 353
 National Survey of Drinking and Driving Attitudes and Behavior, 408
 National Traffic Council (CONTRAN), 394-99

- Native American drinkers
 alcohol dependence among Navajo Indians, and conduct disorder, 159-67
 alcohol metabolism among, 156-57
 flushing response in, and aldehyde dehydrogenase (ALDH2) genotype, 149-58
- Naturalistic methods, 63
- Navy Server Study, 38
- Near real time reporting technology, 570-71, 574
- Negative affect, drinking to cope with, 694-704
- Negative continued use expectancies (NCUE), 849
- Neighborhood bars, *see* Alcohol availability
- NEO Personality Inventory, 849
- Neural inhibition, modulation by alcohol, 882
- Neurocognitive abilities, role in coping reasons for adolescent drinking, and relapses to alcohol and drug use, 500-508
- Neuroendocrine alterations
 associated with risk for alcoholism, 776-83
 symptomatic of alcohol dependence, 586-88
- Neuropsychological characteristics
 of children of alcoholics, and familial density, 509-13
 impairment, and relationship to treatment outcomes, 846-55
- New York State Office of Alcoholism and Substance Abuse Services, 616
- Nicotinamide adenine dinucleotide (NAD) availability, 109
- Nitrites, *see* Amyl nitrite use
- N-methyl-D-aspartate (NMDA) receptors, 172, 174
- Norepinephrine, 777, 779-80
 aggressiveness correlated with, 782
- Nosological studies, 181, 343
- Nottingham Health Profile, 727
- Number Cruncher Statistical Package software, 416
- Number entry tasks, affected by moderate drinking, 873-78
- Observational learning model, 817
- Office of Alcohol and Substance Abuse Services (OASAS), 331
- Older drinkers
 and higher blood alcohol concentrations, 103-10
 psychosocial well-being among, 345-51
- Onset of drinking, *see* Drinking
- Oral glucose tolerance test (OGTT), 581
- Outcomes, *see* Treatment
- Outcomes Expectancies Scale, 860
- Outlet density, *see* Alcohol availability
- Pancreatic hormones, rate of release of, 584
- Parental Punitiveness Scale (PPS), 636
- Parent-Friends Compatibility scale, 355
- Parents
 alcohol abuse by
 and adolescent alcohol abuse
 closeness factor in, 245-51
 comorbidity in predicting, 8
 mediational analysis of, 24
 and punitiveness towards children, 632-42
 modeling alcohol use
 and alcohol use by children, 362
 children's perceptions of, 817-24
 monitoring alcohol in home, and alcohol use by children, 362
 socialization by, and alcohol use by children, 362-67
- Parent *versus* Friends' Influence scale, 355
- Pathologies, controlling in samples of alcoholics, 8, 19
- Patterns, *see* Drinking
- Peabody Individual Achievement Test, 18
- Perceptions
 by Canadians, of alcohol-related harms, 870
 by children, of parental drinking, 817-24
 by young adults, of sexual risk taking, 62-63
- Perpetration, *see* Assaults
- Personal Attributes Questionnaire, 539
- Personal Experience Inventory (PEI), 337, 714
- Personal Involvement Screen (PIS), 714
- Personality Diagnostic Questionnaire-Revised (PDQ-R), 778
- Personality disorders (PDs), *see* Psychological disorders of alcoholism
- Pharmacokinetic effects (*see also* Alcohol metabolism)
 of benzodiazepines, 546-54
 of ethanol dosing, 556-63
- Phonemic Word Fluency Test (FAS), 848, 850
- Physical Child Abuse scale, 636
- Physiological Response to Alcohol Questionnaire, 150-52
- Pitt Men's Study, 71-72
- Pituitary volume, compared with hippocampal volume, 586-88
- Place-of-last-drink data, 48-52
- Plasma glucose levels, 583-84
- Plasma norepinephrine, aggressiveness correlated with, 777
- Point Subtraction Aggression Paradigm (PSAP), 323-24, 326-27
- Policy issues
 and bar owners' practices, 37, 39-45
 concerning heaviest drinkers in the U.S., 78-89
 concerning workplace drinking, 269, 384
 in the harm minimization approach, 430*
 influence of alcohol industry on public policy, 138*
 recent changes in Iowa, 139**
- "Poppers," *see* Amyl nitrite use
- Population density factors, 311
- Population studies, *see* Drinkers
- Posttraumatic stress disorder (PTSD), *see* Psychological disorders of alcoholism
- Predictive power of models
 family history of alcoholism, 8
 social and coping motives, for alcohol misuse in adolescents, 491-99
 for younger drinkers, 605-14
- Pregnant drinkers, 431*
 applying the TWEAK test to, 306-9
 family history and, 287
 and knowledge about fetal alcohol syndrome, 835
 motivational interviewing of, 285-87
- Prenatal ethanol exposure, assessing, 10-11
- Preoccupation, defined, 457
- Prescription drugs for anxiety or depression
 and older drinkers, 345-51
 in workplace settings, 264
- Prevention
 policy issues concerning, 88, 431*
 systems approach to community-wide, 431-32*
 techniques for, 535
- Price sensitivity, for alcohol, 87
- Primary Appraisal Measure (PAM), 849
- PRIME-1000 project, 654, 659
- Problem-behavior theory (PBT), 352-53, 359-60, 480, 487
 components of, 254
 impact on alcohol use among inner-city Hispanic and black adolescents, 595-604
- Problem drinking, *see* Drinking
- Problem drinking index (PDI), 123-25
- Problem Drinking Scale, 482-83, 485
- Profile of Mood States (POMS), 56-57, 131, 134
- Project MATCH Research Group, 253-54, 256, 259, 473-74, 476-77, 815

- Prolactin, 777, 779-80
- Prospective methods, of predicting relapse, 568-69
- Prospective studies, 302
- Protective factors
 listed, 481
 low acculturation, for some young Hispanics, 719*
 marriage, against suicidal ideation, 426-27
 psychosocial, for adolescent problem drinking, 480-90
 religious attendance, among adolescent drinkers, 301
- Psychiatric comorbidity, 258, 654
 modeling effective treatment factors for, 856-66
 schizophrenia, 278-84, 331
 in alcoholic inpatients, 331, 335
 controlling for, 8, 826
 and severity of alcoholism, 200
- Psychiatric Diagnostic Interview (PDI), 190, 196-200
 disorder-based syndromatic typology, 193, 197-98
 numerical-based syndromatic typology, 193
 revised (PDI-R), 190
- Psychoactive drugs, *see* Central nervous system effects; Prescription drugs for anxiety or depression; individual controlled substances
- Psychological disorders of alcoholism (*see also* Prescription drugs for anxiety or depression)
 among adolescent drinkers, of specific beverages, 209-18
 among women, 431*
 antisocial personality disorder (ASPD), 159-61, 167
 in alcoholic inpatients, 330-36
 in alcoholics with social phobia, 473
 measuring, among adolescent drinkers, 237, 240
 and mothers' punitiveness, 639
 parental, and academic achievement in COAs, 22
 in psychiatric patients, 278-84
 anxiety, and mothers' punitiveness, 639
 conduct disorder (CD)
 and age of initiation, 163
 and alcohol dependence, among Native American drinkers, 159-67
 in psychiatric patients, 278-84
 depression, 111-19
 assessing, 698
 correlated with drinking, 111-19, 235
 effect on memory function, 173-74
 and mothers' punitiveness, 639
 parental, and academic achievement in COAs, 22
 recurrent major, controlling for, 8
 and suicidal ideation, 428
 generalized anxiety disorder (GAD), in alcoholic inpatients, 331, 335
 hopelessness, 482
 measuring distress of, 211
 panic disorder, in alcoholic inpatients, 331, 335
 personality disorders (PDs), in inpatient treatment population, 271-77
 posttraumatic stress disorder (PTSD), and mothers' punitiveness, 639
 psychopathy
 in alcoholic inpatients, 330-36
 subtypes of, 336
 stress
 measuring, 482
 motive for drinking
 increasing in postcollegiate life, 225-26
 in younger drinkers, 219-27
 societal, divorce a reflection of, 651
- Psychological factors, underlying server intervention policies, 45
- Psychological Symptom Index (PSI), 371
- Psychopathy Checklist (PCL), 330
 Revised (PCL-R), 330-31, 333-36
- Psychosocial interview (PSI), 190, 194-98
- Psychosocial well-being
 among adolescent drinkers, transition into problem drinking, 480-90
 among older drinkers, 345-51
 stable correlates of adolescent drinking, 352-61
- PsycLIT searches, 91
- Puerto Rican drinkers, 65-66, 69
- Punitiveness, towards children, and mothers' alcohol and other drug problems, 632-42
- Quality of life, *see* Health-related quality of life (HRQL)
- Quality of Life Inventory (QOLI), 849
- Quantity-frequency (Q-F) indices, 80, 83, 212, 235, 467, 818
 average daily volume (ADV), 540
- Quantity measures, 90-93
- Quebec Health and Social Survey, 370
- Questionnaires, beverage-specific *versus* grouped-beverage questions in, 99-102
- Quick Screen interview, 253
- Radio immunoassay (RIA), 582, 779
- RAND Dependence Scale, 56, 60
- Random digit dial (RDD) interviews, 79, 464, 492-93, 868
- Randomized clinical trial (RCT) design, 446
- Real time reporting, *see* Near real time reporting technology
- Reasons for drinking (RFD) instrument, 698
- Receiver Operating Characteristic (ROC) curve analysis, 307-8
- Recovery Interview (RI), 849
- Regional Ethics Committee for Medical Sciences, 875
- "Reintegrative shaming," 519
- Relapses
 in adolescents, coping with, role of neurocognitive abilities, 500-508
 to alcohol, drugs and nicotine, review of methodologies, 566-76
 to cocaine, relationship to alcohol use, 176-80, 275
 preventing, and avoiding aversive social settings, 97
- Reliability analyses, 203-8, 790-99
- Religiosity scale, 355
- Religious attendance, among adolescent drinkers, 237, 240-41, 295
 protective value of, 301
- Remission, *see* Abstinence; Drinking, moderate
- Research Diagnostic Criteria approach, 331, 439, 586
- Research Institute on Addictions, 246, 539
- Research Subjects Review Board (RSRB), 161
- Restrained Drinking Scale, 643
- Restraint, *see* Drinking
- Retrospective methods
 diaries, 756
 difficulties with, 166
 improving accuracy of, 573
 of predicting relapse, 567-68
- Rhode Island Community Alcohol Abuse and Injury Prevention Project (CAAIPP), 27-36
- Riding with drunk drivers (RWDD), related to drinking-driving, 615-21
- Risk-factor model, 695, 698-702
- Risk factors, 278-84 (*see also* Suicidal ideation)
 for adolescent problem drinking
 listed, 480-90, 501
 sensation seeking, 622-31
 for college students, reducing, 521-27

- genetically mediated variability, in Asian Americans with
ALDH2 polymorphisms, 784-89
- planned avoidance of, by male drivers, 407-12
- Risk taking (*see also* Sexual risk taking)
- intoxicated, perceptions of, 59
- and preference for drinking spirits, 210
- Roadside breath tests, blood alcohol concentrations in, 48, 51-52
- Rochester Teacher-Child Rating Scale, 21
- Rod and cone temporal processing, 879-83
- Rutgers Consequences of Use (RCU) questionnaire, 849-50
- Samples of alcoholics, "cleaning," 8
- Sampling/importance resampling (SIR) algorithm, 630
- Schedule for Affective Disorders and Schizophrenia (SADA), 331
- Schedule for Clinical Assessment in Neuropsychiatry (SCAN), 792
- Schizophrenia disorders, *see* Psychiatric comorbidity
- Secular Organization for Sobriety, 884*
- Self-Administered Questionnaire (SAQ), 696, 698
- Self-Deception Questionnaire (SDQ), 687-88
- Self-Esteem Inventory (SEI), 10, 15
- Self-Esteem Scale, 439
- Self-evaluation, for improving recognition of alcohol abuse in student drinkers, 685-93
- Self-focusing, for reducing alcohol abuse in student drinkers, by improving recognition, 685-93
- Self-Rating of the Effects of Alcohol (SRE) form, evaluating in Asian Americans, 784-89
- Self-regulation models, 685-93
- Self-reporting
- by children, 822
- corroborating, 285
- general critiques of, 571-72
- measures using, 204
- by parents, 820
- by relapsers, 567
- of substance abuse, 242
- validity of, 729
- Semi-Structured Assessment for the Genetics of Alcoholism (SSAGA), 590, 593
- Sensation Seeking Scale (SSS), 72, 74-75, 607, 624, 630
- Sensitivity, *see* Alcohol tolerance
- Serotonin metabolites, low levels of, 776
- Serum alanine aminotransaminase (ALT) activity, 590
- Serum aminotransferase levels, 140**
- Serum aspartate amino-transaminase (AST) activity, 590
- Serum gamma-glutamyltransferase (GGT) activity, 589
- Serum glucose levels, 582
- Serum transaminase levels, 140**
- Server intervention policies
- cognitive analysis of, 37-46
- psychological factors underlying, 45
- Services utilization
- in comparing CAGE and TWEAK tests, 705-11
- lifetime, 867-72
- Sexual risk taking
- among gay men
- intoxicated, 70-79
- undergoing substance use disorder treatment, 837-45
- impairment in, 54-63
- young adults' perceptions regarding, 62-63
- Shipley Institute of Living Scale (SILS), 190, 192-200, 848-49
- poor predictive validity of, 200
- Short Michigan Alcoholism Screening Test (SMAST), adapted, 777-78
- SimCom software, 432*
- Sip frequency and volume, 90, 94-95
- Situational Confidence Questionnaire (SCQ), 439, 849, 860
- SMART recovery, 884*
- Smoking, and adolescent behavioral development, 293-305
- Social factors
- alcohol-specific, and alcohol use by children, 362-67
- aversive, and risk for relapse, 97
- effect on assessing mood, 118
- helping men avoid driving drunk, 411-12
- impact on alcohol use among inner-city Hispanic and black adolescents, 595-604
- integration
- confounding drinking-mortality relationship, 740-45
- defined, 742-43
- mediating wives' convergence with their husbands' alcohol use, 368-77
- motives for adolescent drinking, and predicting misuse, 491-99
- "warm" versus "cold," 97
- Social impairment
- alcoholics with and without, 472-79
- and severity of alcoholism, 200
- Socialization of Problem Behavior Project, 353
- Social resources
- enabling problem drinkers to avoid help-seeking, 121-22
- for older drinkers, 345-51
- as predictor of seeking help for drinking problems, 120-29
- Sociodemographic measures, 192, 312, 424-25
- of drug use correlates, among black youths, 802-7
- and health-related quality of life, in alcoholics, 653-62
- poor predictive validity of, 200
- Socioeconomic status (SES)
- affecting entrenchment of drinking patterns, 369
- causal relationship with drinking, 759-68
- controlling for, 9, 246-47, 414
- drug use among higher, 297, 301
- and moderating effects of gender differences, on relationship between alcohol dependence and family history, 825-32
- Spirits
- and hazardous drinking, 734
- preferred by individuals with risk factors for illness, 210
- Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES), 285-86, 686-91, 863
- Statistical Package for the Social Sciences (SPSS) software for Windows, 229, 237, 670, 812, 868
- Statistics Canada, 468, 868-69
- Stress, *see* Psychological disorders of alcoholism
- Stress-coping model, of addiction in adolescent drinkers, assessing, 712-18
- Stress regulation model, 15
- Stroop Test, 848
- Structured Clinical Interview for DSM-III-R (SCID), 71-72, 177, 253-54, 279, 307, 323, 337, 477, 778
- Patient Edition with Psychotic Screen (SCID-P), 272
- Student drinkers
- administering, 884-85*
- reducing alcohol abuse by, 38
- improving recognition, by self-focusing, 685-93
- reducing risk for alcohol abuse by, by fraternity and sorority members, 521-27
- stress-motivated drinking among, 219-27
- Studies (*see also* Animal studies)
- computerized, 875
- nonresponse rates
- accounting for, 166, 236
- handling, 625
- nosological, 181
- and permissions, 526

- population, *see* Drinkers
 proliferation of, 95
 questionnaire design, beverage-specific *versus* grouped-beverage questions in, 99-102
 using detailed instruments in, hidden costs of, 756-58
- Substance use disorders (*see also* individual controlled substances)
 among students, 884-85*
 controlling for, 8
 and drugs of choice, 273
 epidemiology among black youth, 800-809
 in inpatient treatment population, 271-77
 prevalence of, 293
 in psychiatric patients, 278-84
 and psychopathy, 334
 in alcoholics with and without social phobia, 472-79
 and risk of HIV infection, in gay men, 70-77, 837-45
 in 12-step treatment, 846-55
- Suicidal ideation
 among adolescent drinkers, 237, 239
 among U.S. drinking population, 422-29
 protective effect of marriage, 426-27
- SURvey DATA ANalysis (SUDAAN) software, 238-41, 295, 425, 750, 770
- Survival analysis
 and age of onset of drinking, 10
 cumulative by family type, 11-12
 differential, 166
- Swedish registries, for young adult alcohol abuse, 7
- Symptom Checklist-90-R (SCL-90-R), 190-91, 193, 195-200, 211
- T-ACE (Tolerance, Annoyed, Cut Down, and Eye-opener) test, 279, 281, 306
 compared with TWEAK test, 307, 309
- "Talking about Alcohol and Drugs . . . Among Greeks" (TAAD) program, 521-27
- Tardiness, workplace, 262
- Taylor aggression paradigm, 322
- Telephone interviews, 203-8, 379, 408, 615, 654, 663
 random digit dial, 79, 464, 492-93, 868
- Temptation and Restraint Inventory (TRI), 643-44
- Temptation Coping Questionnaire (TCQ), cross-validating, 712-18
- Testosterone, aggressiveness correlated with, 777
- Tests of Achievement and Proficiency (TAP), 21
- Tiffany's cognitive model, 853
- Tilting-plane test, 168-71
- Time-Line Follow-Back (TLFB) interviews, 176-80, 307-8, 318, 756-57, 850
- Time series analyses, *see* Granger's causality test
- Tobacco use, *see* Smoking
- Tolerance, *see* Alcohol tolerance
- Topologically Integrated Geographic Encoding and Referencing (TIGER) file, 311
- Toulouse-Piéron Test, 510-11
- Tracometer tests, 677
- Trail Making Test, 503, 848, 852
- Training for Intervention Procedures by Servers of Alcohol (TIPS) program, 37-38
- Treatment (*see also* Services utilization)
 amounts of
 and effects of different problem criteria, 463-66
 and outcomes in previously untreated alcoholics, 437-47
 and domestic violence, before and after, 317-21
 long-term, and outcomes in previously untreated alcoholics, 437-47
 minority representation in, 810-16
 outcomes, 681
 among dual diagnosis patients, modeling treatment factors, 856-66
 among gay men, changes in sexual risk-taking, 837-45
 in inpatient treatment populations, 271-77
 in 12-step treatment programs, 846-55
 in outpatient treatment programs, 122
 intensive rehabilitation, 176-77
 predictors of seeking, social resources, 120-29
 referral recommendations, 339
 of women, 431*
 Treatment institutions, personality disorders (PDs) in, 271-77
 Treatment Outcome Prospective Study (TOPS), 859
 Tridimensional Personality Questionnaire (TPQ), 777-78, 782
 Tromsø data set, 111-19
 TWEAK (Tolerance, Worry, Eye-opener, Amnesia and Cut Down on Drinking) test, 279, 281
 applying in prenatal setting, 306-9
 compared with CAGE test, 705-11
 compared with T-ACE test, 307, 309
 components of, 306
 12-step treatment, 846-55, 859 (*see also* individual programs)
 Twin studies, 293-305, 653-62
 adjusting for zygosity, 658-59
 Type A *versus* Type B alcoholics, 189
- UChA and UChB rats, 168-71
- Uniform Crime Reports, 517, 528
- Unprotected sexual intercourse, *see* Sexual risk taking
- Validity, *see* Clinical validity
- Value on Achievement scale, 355
- Value on Independence scale, 355
- Veterans Affairs hospitals, *see* Department of Veterans Affairs (VA) Medical Centers
- Veterans Affairs Patient Treatment File (PTF), 858-59
- Victim impact panels (VIPs), impact on DUI/DWI rearrest rates, 514-20
- Victimization (*see also* Domestic violence)
 of mothers, and their punitiveness towards children, 633-34
 role of alcohol in, 528-36
- Videotaped interviews, 71
- Videotaped stimuli, 60, 91-92
- Vietnam Era Twin (VET) Registry, 654, 660
- Violent behavior, *see* Assaults; Domestic violence; Homicide rates; Psychological disorders of alcoholism
- Virginia Twin Study of Adolescent Behavioral Development (VTSABD), 293-305
- Wechsler Adult Intelligence Scale-Revised Vocabulary Scale (WAIS-R), 131
- Wechsler Intelligence Scale for Children-Revised (WISC-R), 503, 510-11
- WESVAR statistical package, 79, 733
- WHO/NIH Cross-Cultural Applicability Research Project, 448-62
- Wide Range Achievement Test, 18
- Widmark *r* factors, 403
- Wilde Intelligence Test (WIT), 173-74
- Wine drinking
 hazardous, 734
 heavy, 467-71
 preferred by female drinkers, 210
- Wine-growing Mediterranean cultures
 definitions of sobriety within, 449
 prevalence of consumption within, among adolescent drinkers, 228-33

- Wisconsin Card Sorting Test (WCST), 511, 848, 852
Wisconsin Training Program, 38
Withdrawal
 defined, 453
 symptoms following treatments with benzodiazepines, 546
Women (*see also* Child-rearing; Pregnant drinkers)
 alcohol abuse among, 430-31*
 with alcohol or other drug problems (AOD), and punitiveness toward their children, 632-42
 converging with husband's alcohol use, mediated by social conditions, 368-77
 development of alcoholism, "telescoped" among, 252-60
 helping men avoid driving drunk, 411-12
 and peak ethanol concentrations, shifting with menstrual cycle, 107
 preference for wine, 210
 sip volume in, 96
 vulnerability to victimization, 534-35
 in the workplace, effect on drinking in, 766
Work performance
 employee drinking practices and, 261-70
 sleeping on the job, 268
Workplace drinking
 and alcohol availability, 383-93
 controlling, 269
 defining, 263
 effect of women at work, 766
 and grievances, 392
Worksite Alcohol Project, 262
World Bank, 720*
World Health Organization (WHO), 113, 181, 229, 448, 720*, 732-33
 Working Group on Population Levels of Alcohol Consumption, 740
Younger drinkers (*see also* Student drinkers)
 drinking-driving related to riding with drunk drivers, 615-21
 epidemiology of substance abuse among black, 800-809
 identifying for intervention, 167
 measuring problem drinking among, 234-44
 price sensitivity of, 87
 problem drinking among, 605-14
 stress as motive, 219-27
Youth Alcohol Survey, 616
Youth Perception Inventory, 607