

Subjects

* Indicates book review

** Indicates correspondence

† Indicates editor's corner

- AA World Services, 137
- Abstinence Violation Effect (AVE), 352
- Abstinent alcoholics
hypoperfusion of inferior frontal brain regions in, a pilot SPECT study, 32-37
- Abuse, *see* Alcohol abuse; Substance abuse
- Acculturation scale, 421
- AccuROC software, 582
- Acute tolerance
in the F2 generation of UChA and UChB rats, 647-51
- Addiction (*see also* Alcoholics; Drug addicts)
couple and family therapy of, 485-86*
- Addiction Research Center Inventory (ARCI), 65
- Addiction Research Foundation, 796
- Addiction Severity Index (ASI), 57, 103, 108, 123, 144, 179, 263, 265, 706-9, 715-17 (*see also* European Addiction Severity Index)
- Adolescent drinkers
antisocial behavior in, and adult alcohol use disorders, prospective follow-up in a national survey, 524-28
diagnosing, concordance of DSM-III, DSM-III-R, DSM-IV and ICD-10 in, 439-46
female, neuropsychological deficits in, better accounted for by conduct disorder, 809-17
partner type among heterosexual, and condom use, 413-19
screening for, performance of brief screens against DSM-IV alcohol diagnoses, 579-87
- Adolescents (*see also* Early adolescence)
individuation and alcohol use, in multi-ethnic youth, 588-97
inner-city, protecting from alcohol use, role of general and specific competence skills, 379-86
risks of psychiatric disorders in, from maternal smoking and drinking during pregnancy, 661-68
- Adult alcohol use disorders (*see also* Young adult drinkers)
and adolescent and young adult antisocial behavior, prospective follow-up in a national survey, 524-28
- Adult children of alcoholics (ACOAs), 485*, 775*
- Adverse Consequences Scale, 468
- Advertising, *see* Alcohol advertising
- Affect-mediation model, 467
- Affects
mediating the association between daily events and alcohol use, 862-71
negative and positive, influencing stress in alcohol use and alcohol-related problems, in young adults, 466-74
in a negative priming paradigm, and the processing of ignored stimuli, 571-78
- Age differences, 115 (*see also* Adolescent drinkers; Adult alcohol use disorders; Child conduct problems; Elderly Medicare inpatients; Underage drinkers; Young adult drinkers)
and alcohol-related relative risk, of driver fatalities and driver involvement in fatal crashes, 387-95
- Aggressive traits
alcohol-related, in the general population, 626-32
and family history of alcoholism, 38-45
- AIDS-related behavior, 174, 413
injection drug use, 262
- Alanine transferase (ALT)
measuring, 562-63
- Alaska Natives
alcohol control and injury death in communities of, 311-19
entering alcoholism treatment, gender comparison of alcohol dependence among, 150-56
- Alaska's Local Option law
wet, damp and dry under, 311-19
- Alcohol (*see also* Beverage types; Ethanol; Sources of alcohol)
brain effects of, 484-85*
low level of responses to, in relation to developing alcohol use disorders, 827-35
pharmacogenetics of responses to, and genes that influence alcohol drinking, 5-12
response inhibition under, effects of cognitive and motivational conflict, 239-46
standard units of, 19
transmitted in mother's milk, 484*
- Alcohol Abstinence Self-Efficacy Scale (AASE), 57, 143
- Alcohol abuse (*see also* Alcohol dependence; Alcohol-related problems; Alcoholism; Substance abuse)
developmental pathways to, in young adulthood, 799-808
in a national sample of psychiatric patients, 427-30
- Alcohol Abuse and Dependence (AAD), 427-29
- Alcohol advertising
media, product differences and seasonality in, 896-906
- Alcohol affects processing
of ignored stimuli, in a negative priming paradigm, 571-78
- Alcohol challenge research protocol
drinking in alcoholics following, 220-24
- Alcohol consumption, *see* Consumption; Drinking
- Alcohol control (*see also* Social control)
and alcoholic liver cirrhosis mortality, direct and indirect relationships, 499-506
and injury death, in Alaska Native communities, 311-19
- Alcohol dehydrogenase (ADH), 6-7
determinations of, 152
- Alcohol dependence (*see also* Alcoholism)
among Alaska Natives entering alcoholism treatment, gender comparison of, 150-56
at the cellular level, effects of ethanol on calcium homeostasis, of IM-9 human lymphoblast cells, 225-31
developmental pathways to, in young adulthood, 799-808
- DSM-IV
and drinking among White and Mexican-American DUI offenders, 420-26
prognostic significance of, in withdrawal and tolerance, 431-38
effect of screening on prevalence estimates of, 617-21
family history of, in relation to developing alcohol use disorders, 827-35
measuring, 112-13
in a national sample of psychiatric patients, 427-30
natural recovery from, gender differences in, 783-86

- patterns of drinking and, comparing primary care patients in a Southern county with the regional general population, 130-33
- and relapse, in relation to self-efficacy expectancies, a prospective study, 345-51
- Alcohol Dependence Scale (ADS), 75, 221, 263, 353-57, 764
- Alcohol Dependence Scale-Revised (ADS-R), 159-60
- Alcohol deprivation effect (ADE), 484*
- Alcohol diagnoses, *see* Assessment; Early identification; Predictors; Screening; individual diagnoses; individual instruments
- Alcohol drinking, *see* Drinking
- Alcohol education, 774-75*
- Alcohol effects
- on baseline startle and prepulse inhibition, in young men at risk for alcoholism and/or anxiety disorders, 46-54
 - on exogenous precueing of attention, 232-38
 - on movement-related potentials, measuring impulsivity, 24-31
 - on responses to negatively and positively primed stimuli, 872-80
 - on sexual perception, 688-97
- Alcohol expectancies
- of alcohol-induced positive affect, a cross-cultural comparison, 681-87
 - in alcoholics, dose-related, and associations with family history of alcoholism, 177-86
 - of DUI offenders
 - influence of dose and beverage type instructions on, 341-44
 - in relation to drinking, using expectancy categories, 164-67
 - generalized, for negative mood regulation, and problem drinking among college students, 332-40
 - as a predictor, of college student drinking behavior, 323-31 *versus* restraint in drinking, as indicators of alcohol problems, 352-59
 - self-reporting of, 164
 - and sexuality, analysis of dyadic perceptions and behavior, 168-76
- Alcohol Expectancy Questionnaire (AEQ), 164-66, 177-78, 323-26, 329, 353, 676, 684, 686, 829, 832
- Alcohol exposure
- risk for effects of prenatal, early identification of, 607-16
- Alcohol home delivery services
- a source of alcohol for underage drinkers, 81-84
- Alcohol Incomplete Sentences Form (AISF), 342
- Alcohol intake, *see* Consumption; Drinking
- Alcohol involvement (*see also* Drinking)
- and educational attainment, 286
 - and occupational attainment, 286-87
- Alcohol mortality, *see* Alcoholic liver cirrhosis mortality; Fatalities; Unnatural deaths
- Alcohol policies, 204
- perceived likelihood of enforcement, 213
- Alcohol-preferring animals, 9
- Alcohol Problems Questionnaire (APQ), 563-66, 568
- Alcohol product differences
- in alcohol advertising, 896-906
- Alcohol-related history (ARH), 510
- Alcohol-related problems (*see also* Adult alcohol use disorders)
- and adolescent and young adult antisocial behavior, prospective follow-up in a national survey, 524-28
 - aggression, in the general population, 626-32
 - among Hispanic groups, results from a national survey, 301-10
 - brief screening instrument for, in the emergency room, the RAPS4, 447-49
 - developing from ages 18 to 37, in a U.S. national sample, 290-300
 - developmental pathways to, in relation to a family history of alcohol dependence, a low level of response to alcohol and life functioning, 827-35
 - factors related to, 125-27
 - family risk factors for, in fraternity and sorority members, role of the parent-child conflict, 818-26
 - indicators of, restraint in drinking *versus* alcohol expectancies as, 352-59
 - outcomes of long-term, comparing untreated individuals with those in Alcoholics Anonymous and formal treatment, 529-40
 - reducing, effective regulatory methods for, 402-12
 - relative risk of driver fatalities and driver involvement in fatal crashes, in relation to driver age and gender, 387-95
 - with stress, influence of negative and positive affect in young adults, 466-74
- Alcohol Research Group, 131, 270, 795
- Alcohol sensitivity, 225
- in the F2 generation of UChA and UChB rats, 647-51
- Alcohol Services Inventory, 270, 273
- Alcohol stimuli, *see* Stimuli
- Alcohol Time-Line Follow-Back (TLFB) interview, 159
- Alcohol treatment, *see* Treatment
- Alcohol use (*see also* Alcohol abuse; Alcohol dependence; Drinking)
- adolescent individuation and, in multi-ethnic youth, 588-97
 - association with daily events, role of affect in mediating, 862-71
 - and partner type among heterosexual adolescents and young adults, 413-19
 - protecting inner-city adolescents from, role of general and specific competence skills, 379-86
 - stages in, 800, 802
 - with stress, influence of negative and positive affect in young adults, 466-74
 - and unnatural deaths, medico-legal autopsies in Sweden, 507-14
- Alcohol Use Disorders and Associated Disabilities Interview Schedule (AUDADIS), 433, 436
- Alcohol use disorders (AUDs), *see* Alcohol-related problems
- Alcohol Use Disorders Identification Test (AUDIT), 579-80, 582-84, 794-96
- factor structure of, in a mental health clinic sample, 751-58
 - usefulness of, in people with schizophrenia, 744-50
- Alcohol Use Inventory (AUI), 57, 143, 764
- Alcohol Use Questionnaire (AUQ), 25
- Alcoholic Beverage Commission (ABC), 402
- Alcoholic families
- in recovery, 775-76*
- Alcoholic liver cirrhosis mortality
- and alcohol prevention measures, direct and indirect relationships, 499-506
- Alcoholics
- abstinent, hypoperfusion of inferior frontal brain regions in, a pilot SPECT study, 32-37
 - antisocial male, home interactions with family, 72-80
 - Axis I and Axis II disorders in, 101-10
 - drinking in, following an alcohol challenge research protocol, 220-24
 - liver cirrhosis mortality in, in relation to alcohol prevention measures, 499-506
 - mortality in male, 853-61
 - as parents, young adult children of, 836-44
 - selective attention to alcohol stimuli, automated processing, 18-23
 - severely dependent, factors affecting motivation to seek treatment in, 548-60

- with stimulant dependence, clinical characteristics and family histories of, 728-35
- in treatment, smoking and drinking among, cross-sectional and longitudinal relationships, 157-63
- Alcoholics Anonymous (AA)
 - affiliating with, 714-18
 - member attitudes, 203, 765
 - anonymous survey on the use of medications to prevent relapse, 134-38
 - participants in compared with untreated individuals, and outcomes of long-term alcohol use disorders, 529-40
- Alcoholism
 - brain-behavior relationships in, 36
 - brain effects of, 484-85*
 - comorbidity with psychiatric symptoms, 150-51
 - course of, among men in the Lundby Longitudinal Study, Sweden, 320-22
 - development of, 152
 - disease concept of, 111
 - early onset, link with family history, earlier initiation of drinking *versus* more rapid development of dependence, 637-46
 - family history of
 - and the development of substance-related problems, gender differences in, 845-52
 - and dose-related alcohol expectancies in alcoholics, 177-86
 - and frontal EEG response to threat and aggressive traits, 38-45
 - genetic predisposing factors for, 9-10
 - subtypes of, 72-73
 - treatment for
 - correlates between rural at-risk drinkers, and use of services, 267-77
 - heterosexuals in, HIV infection and risky behavior in, cross-sectional surveys of, 262-66
 - predictors of the therapeutic alliance in, 139-49
 - Type I and Type II, 367
 - young men at risk for, alcohol effects on baseline startle and prepulse inhibition in, 46-54
- Aldehyde dehydrogenase (*ALDH2*) gene
 - determinations of, 152, 154, 781[†]
 - mutant alleles of, 13-14
 - variations in, and hangover symptoms in Asian American drinkers, 13-17
- Alliance, *see* Therapeutic alliance
- American Chamber of Commerce Researchers Association (AC-CRA), 406
- American-Indian (AI) drinkers, *see* Native American drinkers
- American Psychiatric Association (APA), 427
- American Psychological Association (APA), 487**
- AMETHYST project, 863
- AMOS software, 591
- Animal experiments, 7-10 (*see also* Mice; UChA and UChB rats)
- Anonymous surveys
 - of Alcoholics Anonymous member attitudes, on the use of medications to prevent relapse, 134-38
- Antisocial behavior (ASB)
 - in male alcoholics, home interactions with family, 72-80
 - in young adult drinkers, and adult alcohol use disorders, prospective follow-up in a national survey, 524-28
- Antisocial personality disorder (ASPD), 38, 151, 271, 644-45, 731-32, 734, 809-10, 814
 - high comorbidity rates with alcoholism, 155
 - parental, 662
- Anxiety disorders
 - young men at risk for, alcohol effects on baseline startle and prepulse inhibition in, 46-54
- Apple Picker Task, 65-66
- Asian American drinkers
 - hangover symptoms in, with variations in the aldehyde dehydrogenase (*ALDH2*) gene, 13-17
- Assertion Inventory, 381
- Assessment
 - personalized feedback for problem drinking, providing on the Internet, a pilot project, 794-98
- Assessment of Daily Experience, 864
- Assessment of Warning-signs for Relapse (AWARE), 759-65
- At-risk drinkers
 - rural, correlates and use of alcoholism treatment services, 267-77
- Attention
 - alcohol effects on exogenous precueing of, 232-38
- Attention-deficit hyperactivity disorder (ADHD), 524, 664-67
- Attitudes
 - as a predictor of college student drinking behavior, 323-31
- Attitudes toward college life (ACL), 325
- Automated processing
 - alcoholics' selective attention to alcohol stimuli, 18-23
- Autonomic functions
 - phasic changes in, 18
- Autopsies
 - medico-legal, alcohol use and unnatural deaths in Sweden, 507-14
- Axis I and Axis II disorders
 - in alcoholics and drug addicts, 101-10
- Balanced placebo design (BPD) experiments, 168-69, 171
- Baseline startle
 - alcohol effects on, in young men at risk for alcoholism and/or anxiety disorders, 46-54
- Bayley Scales of Infant Development, Second Edition (BSID-II), 609-10, 612, 614
- Beck Depression Inventory (BDI), 33, 143, 334, 543, 546, 764
- Behavior analyses (*see also* Antisocial behavior; Risky behavior)
 - dyadic perceptions and, alcohol expectancies and sexuality, 168-76
- Behavioral Rating Scale (BRS), 611
- Behavioral Risk Factor Survey (BRFS), 402, 405, 407
- Behavioral Self-Control Training (BSCT), 562-63, 565-68
- BETA treatment outcome study, 456-59
- Beverage types (*see also* Alcohol product differences; individual beverages)
 - beverage-specific risks, of drinking and driving, 515-23
 - rating, 241
 - specifying in instructions, influence on alcohol outcome expectancies, of DUI offenders, 341-44
- Bilateral Lateralized Readiness Potential, 27
- Bioelectrical impedance analysis (BIA), 188, 190
- Blind HIV serotyping, 263
- Blood alcohol concentrations (BACs), 187, 206, 456, 508-10, 571, 574-78, 648, 690-92, 872, 874 (*see also* Peak blood alcohol)
- Blood Alcohol Content Estimator (BACest) software, 187-91
- Brain catalase activity
 - in relation to ethanol-induced locomotor activity in mice, psychopharmacological study of, 493-98
- Brain effects (*see also* Frontal brain regions)
 - of alcohol and alcoholism, 484-85*
- Breath alcohol concentration (BAC), 65, 233
- Brief screening instruments

- in the emergency room, for problem drinking, the RAPS4, 447-49
- Brief Symptom Inventory (BSI), 103, 562, 820-22
- Bromocriptine, 650
- Buss-Durkee Hostility Inventory (BDHI), 40, 42
- Buyer ID, 88
checking, 93
- CAGE questionnaire, 579-80, 582-84, 745, 748-49, 752
- Calcium homeostasis
of IM-9 human lymphoblast cells, effects of ethanol on, 225-31
- California
controlling alcohol-impaired driving, gender differences in, 396-401
- California Department of Alcoholic Beverage Control, 898
- California Psychological Inventory (CPI), 57, 74
Socialization Scale (SSQ) of, 25, 74, 144, 839
- Cardiovascular disease
moderate intake of wine associated with reducing mortality from, 652-56
- Catalase, *see* Brain catalase activity
- Cellular level
alcohol dependence at, effects of ethanol on calcium homeostasis, of IM-9 human lymphoblast cells, 225-31
- Center for Epidemiological Studies Depression Scale (CES-D), 820-21
- Center for Media Education, 904
- Central Pontine Myelinolysis (CPM)
methylphenidate treatment for, and neuropsychiatric symptoms, 657-60
- Changes
in alcohol control, mobilizing communities for, outcomes from a randomized community trial, 85-94
in drinking, readiness among heavy-drinking college students, 674-80
motivation for, 548
from over-the-counter to self-service sales of alcoholic beverages, in monopoly outlets, 95-100
in per capita consumption, mirroring changes in drinking patterns, 622-25
- Child conduct problems (CCP)
and gender differences in developing substance-related problems, 845-52
- Child psychiatric disorders
risks from maternal smoking and drinking during pregnancy, 661-68
- Childhood Hyperactivity Questionnaire (HK/MBD), 25, 28
- Children
young adult, of alcoholic, depressed and nondistressed parents, 836-44
- Children of alcoholics (COAs), 836-44
- Clinical characteristics
of alcoholics with stimulant dependence, 728-35
- Clinical trials
measuring drinking outcomes in, 55-63
- Closed-ended question format
self-reported frequency of drinking assessed with, split-sample study in Switzerland, 450-54
- Cocaine dependent patients
predictors of self-help group attendance in, 714-19
- Coddington's Life Events Scale for Children, 591
- Cognitive-Behavioral Control (CBC) scale, 353-54
- Cognitive-Behavioral Coping Skills Therapy (CBT), 56, 140-43
- Cognitive conflicts, 240
effect on response inhibition under alcohol, 239-46
- Cognitive-Emotional Preoccupation (CEP) scale, 352-54
- Collaborative Study on the Genetics of Alcoholism (COGA), 151-52, 155, 729-30, 734
- College students, *see* Student drinkers
- Communities
of Alaska Natives, alcohol control and injury death in, 311-19
intra-class correlations from alcohol prevention study in, effect of repeat observations on the same communities, 881-90
mobilizing for change on alcohol, outcomes from a randomized community trial, 85-94
- Communities Mobilizing for Change on Alcohol (CMCA) project, 82-83, 86-87, 89, 91, 93, 882-83
- Comorbidity
of alcoholism with psychiatric symptoms, 150-51
- Competence skills
general and specific, role in protecting inner-city adolescents from alcohol use, 379-86
- Composite International Diagnostic Interview (CIDI), 131, 431-32, 448, 745-46, 748, 917
- Composite International Diagnostic Interview-Substance Abuse Module (CIDI-SAM), 270-71, 421, 700
- Comprehensive Effects of Alcohol (CEOA) scale, 341-44
- Computed tomography (CT), 32
- Computer assisted telephone interviewing (CATI) surveys, 627
- Computer models
of peak blood alcohol prediction, empirical test of, 187-91
- Computerized Blood Alcohol Calculator (cBAC) software, 187-91
- Computerized Diagnostic Interview Schedule (CDIS), 57
- Concordance
of DSM-III, DSM-III-R, DSM-IV and ICD-10, in alcohol diagnoses in adolescents, 439-46
- Condom use
with alcohol, and partner type among heterosexual adolescents and young adults, 413-19
- Conduct disorder (*see also* Child conduct problems)
accounting for neuropsychological deficits, in female adolescent substance abusers, 809-17
- Confidence intervals (CIs), 103, 105-6
- Confirmatory factor analysis (CFA), 752, 754
- Conflict
effects of cognitive and motivational, on response inhibition under alcohol, 239-46
- Conflict Tactics Scales (CTS), 847
- Consequences of drinking
effect of screening on prevalence estimates of, 617-21
- Consumer Price Index (CPI), 406, 501
- Consumption (*see also* Drinking)
among white-collar workers, and work stressors, a signal detection approach, 462-65
changes in per capita, mirroring changes in drinking patterns, 622-25
regulation of, and the validity and utility of the Temptation and Restraint Inventory, 766-73
- Consumption ratios, 117-18
- Controlled trials
randomized, of moderation-oriented cue exposure, 561-70
- Controlling alcohol-impaired driving (*see also* Alcohol control; Inhibitory control; Prevention measures; Social control; individual legislation)
in California, gender differences in, 396-401
- Cook-Medley Hostility Scale, 468
- Coping Behavior Inventory, 784
- Coping Inventory, 381
- Correlations

- intraclass, from a community-based alcohol prevention study, the effect of repeat observations on the same communities, 881-90
- between rural at-risk drinkers, and use of alcoholism treatment services, 267-77
- Couple therapy
of addiction, 485-86*
- Couples Interaction Scoring System, 75
- Course
of alcoholism, among men in the Lundby Longitudinal Study, Sweden, 320-22
- longitudinal, types of marijuana users by, 367-78
- of remission, in patients with substance use and posttraumatic stress disorders, mental health service use and, 247-53
- Criminal violence
outlet density and, in Norway, 907-11
- Cross-cultural comparisons (*see also* Multi-ethnic youth)
of expectancies of alcohol-induced positive affect, 681-87
- on meaning of hangovers, 16
- Cross-sectional surveys
of HIV infection and risky behavior, in heterosexuals in alcoholism treatment, 262-66
- of the relationship between smoking and drinking, among alcoholics in treatment, 157-63
- Cue exposure (*see also* Precueing of attention)
moderation-oriented, randomized controlled trials of, 561-70
- Cultural position of drinking (*see also* Organizational cultures; Transplant corporate culture)
typologies of, 475-83
- Cumulative risk index (CRI), 608-9
- Customary Drinking and Drug Use Record (CDDR), 675
- Customary Drinking Record (CDR), 165
- Daily Drinking Questionnaire (DDQ), 769, 820
- Daily events
association with alcohol use, role of affect in mediating, 862-71
- Deaths (*see also* Alcoholic liver cirrhosis mortality; Fatalities; Unnatural deaths)
by injury, alcohol control and, in Alaska Native communities, 311-19
- Deficits
neuropsychological, in female adolescent substance abusers, better accounted for by conduct disorder, 809-17
- Delirium tremens (DTs), 153, 155
- Delivery services
a source of alcohol for underage drinkers, 81-84
- Dependence, *see* Alcohol dependence; Alcoholism; Cocaine dependent patients
- Depressed parents
young adult children of, 836-44
- Developmental pathways
to alcohol abuse and dependence, in young adulthood, 799-808
- to alcohol use disorders, in relation to a family history of alcohol dependence, a low level of response to alcohol and life functioning, 827-35
- to heavy drinking, from ages 18 to 37, in a U.S. national sample, 290-300
- to substance-related problems, and family history of alcoholism, family history of violence and childhood conduct problems, 845-52
- DIA-X interview, 916-18
- Diagnoses (*see also* Assessment; Early identification; Predictors; Screening; individual diagnoses; individual instruments)
temporary overlap of, 444
- Diagnostic and Statistical Manual of Mental Disorders
alcohol diagnoses, 5, 439
- Diagnostic and Statistical Manual of Mental Disorders (DSM-II)
alcohol diagnoses, 111
- Diagnostic and Statistical Manual of Mental Disorders (DSM-III)
alcohol diagnoses, 111, 203, 281, 432-33, 436, 439-45, 663, 854
- Diagnostic and Statistical Manual of Mental Disorders (DSM-III-R)
alcohol diagnoses, 33, 48, 56-57, 103, 123, 140-41, 151-55, 159, 280, 346, 431-33, 436, 439-45, 579-81, 729-30, 811, 828-29
- in adolescents, concordance with other instruments, 439-46
- depression and bipolar disorder diagnoses, 108
- personality disorder diagnoses, 179, 248
- substance abuse disorder diagnoses, 421
- Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)
alcohol diagnoses, 6, 111-12, 123, 131, 221, 267-70, 275, 293, 421, 431-37, 439-45, 525-26, 579-87, 618-19, 639, 699-700, 715-16, 745, 748, 783, 801, 803, 806, 837, 841, 863, 917, 919
- in adolescents, concordance with other instruments, 439-46
- of dependence
and drinking among White and Mexican-American DUI offenders, 420-26
- prognostic significance of, in withdrawal and tolerance, 431-38
- Axis II diagnostic algorithm, 109
- disorders of alcohol use diagnoses, patterns of drinking among individuals with and without, 111-20
- drug dependence diagnoses, and drinking among White and Mexican-American DUI offenders, 420-26
- psychiatric diagnoses, 65
- Diagnostic and Statistical Manual of Mental Disorders (DSM-V)
alcohol diagnoses, 432
- Diagnostic Interview Schedule (DIS), 270, 280, 729, 801
- Diagnostic Interview Schedule for Children (DISC), 581, 584-85
- Diazepam, 229
- Differential effects of alcohol, *see* Alcohol effects
- Digit Symbol Substitution Test (DSST), 65
- Discharge Information Forms (DIF), 248-49
- Diseases (*see also* individual disease conditions)
stages in defining, 5
- Disorders of alcohol use, *see* Alcohol-related problems
- Distilled Spirits Council of the United States (DISCUS), 897
- Dose-related alcohol expectancies (*see also* Standard units of alcohol)
in alcoholics, hierarchical structure of positive and negative, and associations with family history of alcoholism, 177-86
- in DUI offenders, 341-44
- Dose-response studies, 8, 245
- Dram shop laws, 403-4, 410
- Drinker Inventory of Consequences (DrInC), 143, 722
- Drinkers, *see* Adolescent drinkers; Asian American drinkers; At-risk drinkers; Heterosexual drinkers; Native American drinkers; Social drinkers; Student drinkers; Young adult drinkers
- Drinking (*see also* Consumption; Problem drinking; individual beverages)
among alcoholics
cross-sectional and longitudinal relationships with smoking, 157-63
- following an alcohol challenge research protocol, 220-24
- consequences of, effect of screening on prevalence estimates of, 617-21
- cultural position of, typologies of, 475-83

- driving impaired by
 beverage-specific risks, 515-23
 controlling in California, gender differences in, 396-401
 and DSM-IV alcohol and drug dependence, among White and Mexican-American DUI offenders, 420-26
 in DUI offenders, in relation to alcohol expectancies, using expectancy categories, 164-67
 episodes of, defining, 455-61
 frequency of, self-reported, assessed with a closed- or open-ended question format, split-sample study in Switzerland, 450-54
 genes that influence, and pharmacogenetics of responses to alcohol, 5-12
- heavy
 developing from ages 18 to 37, in a U.S. national sample, 290-300
 factors predicting, 125
 and peer networks prior to marriage, 669-73
 readiness to change among college students, 674-80
 maternal, and smoking during pregnancy, and the risk for child and adolescent psychiatric disorders, 661-68
- patterns of
 and alcohol dependence, comparing primary care patients in a Southern county with the regional general population, 130-33
 and alcohol treatment research follow-up interviews, 736-43
 among Hispanic groups, results from a national survey, 301-10
 among individuals with and without DSM-IV alcohol use disorders, 111-20
 changes in per capita consumption mirroring, 622-25
 and demographic characteristics, 124-25
 in the F2 generation of UChA and UChB rats, 647-51
 and problems of the "stably insured," studying the membership of a health maintenance organization, 121-29
- regular and infrequent, and peer networks prior to marriage, 669-73
- restraint in, *versus* alcohol expectancies, as indicators of alcohol problems, 352-59
- social consequences of (*see also* Social control)
 effect of screening on prevalence estimates of, 617-21
 work-related, 207
- Drinking consequences score (DCS), 838
- Drinking Expectancy Profile (DEP), 353-54
- Drinking Expectancy Questionnaire (DEQ), 353
- Drinking Habit Questionnaire, 241
- Drinking in the Environment (Drink Env), 829, 831, 833
- Drinking outcomes
 measuring in clinical trials, 55-63
- Drinking Refusal Self-Efficacy Questionnaire (DRSEQ), 353-54
- Drinking-Related Locus of Control (DRIE) Scale, 767-69
- Drinking Restraint Scale, 767
- Drinking tendencies
 theoretical models of, in college freshmen and upperclassmen, 598-602
- Drinks per Drinking Day (DDD), 58, 564-69
- Drinks per occasion (DPO), 517-18, 521-22
- Driver involvement in fatal crashes
 alcohol-related relative risk of, in relation to driver age and gender, 387-95
- Driving after drinking (DAD), 517-18, 521-22
- Driving under the influence (DUI) offenders (*see also* Drinking, driving impaired by)
 alcohol expectancies of
 influence of dose and beverage type instructions on, 341-44
 in relation to drinking, using expectancy categories, 164-67
 among Whites and Mexican-Americans
 DSM-IV alcohol and drug dependence and, 420-26
 variables associated with, 698-703
- Drug addicts
 abstaining, 64
 Axis I and Axis II disorders in, 101-10
- Drug dependence
 DSM-IV, and drinking among White and Mexican-American DUI offenders, 420-26
- Drug Effects Questionnaire (DEQ), 65
- Drug-free baseline go/stop performance, 242-43
- Dyadic perceptions
 and behavior analyses, of alcohol expectancies and sexuality, 168-76
- Dysphoria, 102
- Early adolescence
 psychosocial and behavioral factors in, as predictors of heavy drinking among high school seniors, 603-6
- Early identification
 of risk for effects of prenatal alcohol exposure, 607-16
- Early onset alcoholism
 link with family history, 154
 earlier initiation of drinking *versus* more rapid development of dependence, 637-46
- Editorial improvements, 201[†], 365[†]
- Education, *see* Alcohol education
- Educational attainment
 alcohol involvement and, 286
- EEG response to threat
 frontal, and family history of alcoholism, 38-45
- Effects of alcohol, *see* Alcohol effects; Alcohol-related problems; Reactivity effects
- EGRET, 347
- Elderly Medicare inpatients
 with substance use disorders, characteristics and predictors of hospital readmissions, 891-95
- Electroencephalogram (EEG) activity, 26, 38-40, 781[†]
 family history and, 40
 response to threat, 43
- Electrooculogram (EOG) activity, 26, 40
- Emergency room screening
 for problem drinking, the RAPS4, 447-49
- Emotional Autonomy Scale (EAS), 591
- Emotional Relief Self-Efficacy (ERSE) scale, 354
- Employment Assistant Programs (EAP), 204, 206
 likelihood of referral to, 207, 210
- End-of-Session questionnaire (EOS), 65
- Epidemiological studies, 278, 783
 prospective, 320
- Episodes, *see* Drinking, episodes of
- EQS program, 381
- Ethanol (EtOH)
 effects on calcium homeostasis, of IM-9 human lymphoblast cells, 225-31
 neurotransmitter pathways sensitive to, 9-10
 priming effect of, in social drinkers, individual differences, 64-71
 self-administration studies, intracranial, 8
- Ethanol-induced locomotor activity
 in relation to brain catalase activity in mice, psychopharmacological study of, 493-98
- Ethnic differences, 116-17 (*see also* Asian American drinkers; Cross-cultural comparisons; Hispanic groups; Mexican-

- American DUI offenders; Multi-ethnic youth; Native American drinkers; White DUI offenders)
- Ethnograph knowledge construction system, 206
- European Addiction Severity Index (EuropASI), 179
German version, reliability and validity of, 916-19
- Evaluations
as a predictor of college student drinking behavior, 323-31
- Exogenous precueing of attention
alcohol effects on, 232-38
- Expectancies, *see* Alcohol expectancies
- Exposure to alcohol, *see* Alcohol exposure
- Extrapontine Myelinolysis
methylphenidate treatment for, and neuropsychiatric symptoms, 657-60
- Eyeblink component
of startle reflex, 48-49
- Eysenck Personality Questionnaire (EPQ), 25, 28-30
- F2 generation of UChA and UChB rats
acute tolerance, alcohol sensitivity and drinking pattern in, 647-51
- Factor structure
of the Alcohol Use Disorders Identification Test (AUDIT), in a mental health clinic sample, 751-58
- Fagerström Tolerance Questionnaire (FTQ), 159
- Family Environment Scale (FES), 591
- Family History Assessment Module (FHAM), 151-52, 154, 847
- Family History Research Diagnostic Criteria (FH-RDC), 39, 280
- Family Resource Scale, 609
- Family risk factors
for alcohol-related consequences and poor adjustment, role of the parent-child conflict, in fraternity and sorority members, 818-26
for alcoholics with stimulant dependence, 728-35
for antisocial male alcoholics, home interactions with family, 72-80
associations with alcoholism, and dose-related alcohol expectancies in alcoholics, 177-86
and developing substance-related problems, gender differences in, 845-52
for frontal EEG response to threat and aggressive traits, 38-45
history of alcohol dependence, in relation to developing alcohol use disorders, 827-35
link with early onset alcoholism, earlier initiation of drinking *versus* more rapid development of dependence, 637-46
- Family Support Scale, 609
- Family therapy
of addiction, 485-86*
- Fatalities
alcohol-related relative risk of drivers, in relation to driver age and gender, 387-95
- Fatality Analysis Reporting System (FARS), 388
- Federal Communications Commission, 897
- Federal Trade Commission (FTC), 897-98
- Feedback
personalized assessment for problem drinking, providing on the Internet, a pilot project, 794-98
- Females, *see* Women
- Fetal alcohol syndrome (FAS), 607-8, 612-14
- Fisher's Exact Test, 263
- Five-Factor Model (FFM) of personality, 841
- "Flushing response," 153
- Follow-up interviews
on alcohol treatment and drinking behaviors, 736-43
- Form 90 instruments, 56
- Formal treatment recipients
compared with untreated individuals, and outcomes of long-term alcohol use disorders, 529-40
- Fostering Self-Change intervention, 795
- Four Factor Index of Social Status, 280, 813
- FRAMES model, 789-92
- Fraternity and sorority members
family risk factors for alcohol-related consequences and poor adjustment, role of the parent-child conflict, 818-26
- Frequency of drinking, *see* Drinking, frequency of
- Frontal brain regions
EEG response to threat, and family history of alcoholism, 38-45
hypoperfusion of inferior, in abstinent alcoholics, a pilot SPECT study, 32-37
- Gambrill and Richey Assertion Inventory, 381
- Gamma-glutamyl transferase (GGT)
measuring, 563, 565, 568
- Gamma-glutamyl transpeptidase (GGTP), 55, 58-60, 62
- "Geisser-Greenhouse" correction, 20
- Gender differences, 114 (*see also* Men; Women)
in alcohol dependence, among Alaska Natives entering alcoholism treatment, 150-56
and alcohol-related relative risk, of driver fatalities and driver involvement in fatal crashes, 387-95
in controlling alcohol-impaired driving in California, 396-401
in developing substance-related problems, impact of family history of alcoholism, family history of violence and childhood conduct problems, 845-52
in natural recovery from alcohol dependence, 783-86
- General population
alcohol-related aggression in, 626-32
comparing with primary care patients, in patterns of drinking and alcohol dependence, 130-33
- Generalized alcohol expectancies
for negative mood regulation, and problem drinking among college students, 332-40
- Genes
aldehyde dehydrogenase (*ALDH2*), hangover symptoms in Asian American drinkers with variations in, 13-17
influencing alcohol drinking, and pharmacogenetics of responses to alcohol, 5-12
- Genetic predisposing factors for alcoholism, 9-10, 781-82†
- German version
of the European Addiction Severity Index (EuropASI), reliability and validity of, 916-19
- Go/stop paradigm, 245
- Gorski's warning signs for relapse
simple scale of, 759-65
- Government Performance Results Act (GPRA), 704
- Greek system, *see* Fraternity and sorority members
- Group attendance
predictors of self-help, in cocaine dependent patients, 714-19
- Group-randomized trial (GRT), 881, 889
- Guided Self-Change approach, 220-21
- Hallucinations, 155
- Haloperidol, 229
- Hamilton Rating Scale, 334
- Hangover symptoms
in Asian Americans, with variations in the aldehyde dehydrogenase (*ALDH2*) gene, 13-17
- Hawaii Alcohol Survey, 335
- Hazard rate ratios (HRR), 641-42
- Health and Daily Living (HDL) Form, 248, 532

- Health Care Financing Administration (HCFA)
 Health Insurance Skeleton Write-off file, 892
 Medicare Provider Analysis and Review file (MEDPAR), 892-94
- Health care policy
 evolution of, 121
- Health effects
 alcoholic liver cirrhosis mortality, in relation to alcohol prevention measures, 499-506
- Health Insurance Skeleton Write-off file, 892
- Health maintenance organizations (HMOs)
 patterns of drinking in membership of, and problems of the "stably insured," 121-29
- Heart-rate (HR) responses, 18-19, 22
- Heavy drinking, *see* Drinking, heavy
- Herman's Restraint Scale, 352
- Heterosexual drinkers
 in alcoholism treatment, HIV infection and risky behavior in, cross-sectional surveys of, 262-66
 and partner type among adolescents, 413-19
- Hierarchical structure
 of positive and negative dose-related alcohol expectancies in alcoholics, and associations with family history of alcoholism, 177-86
- High-risk studies
 prospective, of student drinkers and role attainment in early adulthood, 278-89
- Hispanic groups
 alcohol-related problems among, results from a national survey, 301-10
- HIV infection
 and risky behavior, in heterosexuals in alcoholism treatment, cross-sectional surveys of, 262-66
- Hollingshead's Four Factor Index of Social Status, 280, 813
- Holocultural studies, 475
- Home delivery services
 a source of alcohol for underage drinkers, 81-84
- Home Interaction Scoring System (HISS), 75-76
- Home interactions with family
 of high and low antisocial male alcoholics, 72-80
- Homeostasis
 calcium, of IM-9 human lymphoblast cells, 225-31
- Homer-Lemeshow test statistic, 389-91
- Hospital readmissions
 predictors of, in elderly Medicare inpatients with substance use disorders, 891-95
- Human lymphoblast cells
 calcium homeostasis of IM-9, effects of ethanol on, 225-31
- Human Relations Area Files (HRAF), 475
- Hyper-RESEARCH knowledge construction system, 206
- Hypoperfusion
 of inferior frontal brain regions, in abstinent alcoholics, a pilot SPECT study, 32-37
- Identification, *see* Early identification
- Ignored stimuli
 alcohol affects processing of, in a negative priming paradigm, 571-78
- IM-9 human lymphoblast cells
 calcium homeostasis of, effects of ethanol on, 225-31
- Impaired Control Scale, 772
- Impairment Index (II), 75
- Important People and Activities scale (IPA), 57, 829
- Impulsivity
 measuring, and alcohol effects on movement-related potentials, 24-31
- Indians, *see* Native American drinkers
- Individual differences
 in the priming effect of ethanol, in social drinkers, 64-71
- Individuation
 and adolescent alcohol use, in multi-ethnic youth, 588-97
- Inferences
 postdrinking sexual, 169
- Inferior frontal brain regions
 hypoperfusion of, in abstinent alcoholics, a pilot SPECT study, 32-37
- Inhibitory control, 241 (*see also* Prepulse inhibition; Responses to alcohol)
- Injection drug use (IDU)
 and the AIDS epidemic, 262, 265
- Injury death
 alcohol control and, in Alaska Native communities, 311-19
- Inner-city adolescents
 protecting from alcohol use, role of general and specific competence skills, 379-86
- Inpatient treatment
 for substance abuse
 characteristics of elderly Medicare inpatients, and predictors of hospital readmissions, 891-95
 characteristics of Native Americans seeking, 541-47
- Instruments, *see* Brief screening instruments; individual instruments
- Intake of alcohol, *see* Consumption; Drinking
- Interactions with family
 of high and low antisocial male alcoholics, 72-80
- International Classification of Diseases, 653, 856, 859
 alcohol diagnoses, 5-6, 131, 439-45, 501, 748, 892-93
 diagnostic concordance with other instruments for adolescents, 439-46
- Internet
 providing personalized assessment feedback for problem drinking on, a pilot project, 794-98
- Interviews
 follow-up, on alcohol treatment and drinking behaviors, 736-43
 semi-structured, 14
- Intraclass correlations
 from a community-based alcohol prevention study, the effect of repeat observations on the same communities, 881-90
- Intracranial self-administration
 of ethanol, 8
- Intrauterine growth retardation (IUGR), 607, 609
- Inventory of Drinking Situations, 764
- Inventory of Small Life Events, 864
- Inventory to Diagnose Depression (IDD), 334
- Item response theory (IRT) methodology, 590
- Japanese Transplant corporate culture, 205, 215
- Karolinska Scales of Personality, 829
- Khavari Alcohol Test, 187
- Kinetics
 of ethanol absorption, 6
- Lateralized event-related spectral power (LERSP), 25, 28
- Lateralized Readiness Potential (LRP), 24-30
 bilateral, 27
 personality and, 28-29
- Life Events Scale for Children, 591
- Life Events Survey, 467

- Life functioning
in relation to developing alcohol use disorders, 827-35
- Limit Violation Effect (LVE), 352
- LISREL, 180, 552
- Live Experiences Survey (LES), 829
- Local Option law
wet, damp and dry under Alaska's, 311-19
- Locomotor activity
ethanol-induced, in relation to brain catalase activity in mice, psychopharmacological study of, 493-98
- Long-term outcomes
of alcohol use disorders, comparing untreated individuals with those in Alcoholics Anonymous and formal treatment, 529-40
- Longitudinal course
types of marijuana users by, 367-78
- Longitudinal relationships
between smoking and drinking, among alcoholics in treatment, 157-63
- Loyal Temperance Legion (LTL), 774*
- Lundby Longitudinal Study
course of alcoholism among men in, 320-22
- Lymphoblast cells
calcium homeostasis of IM-9 in humans, effects of ethanol on, 225-31
- MacAndrew scale, 829
- Magnetic resonance imaging (MRI), 32, 484*, 658-60
- Males, *see* Men
- Marijuana users
types of, by longitudinal course, 367-78, 920**
- Marital Interaction Coding System, 75
- Marlatt Drinking Consequences scale, 74
- Marlowe-Crowne Social Desirability Scale, 690
- Marriage
and alcoholism type, 73
peer networks prior to, among heavy, regular and infrequent drinkers, 669-73
- Maternal smoking and drinking (*see also* Mother's milk)
during pregnancy, and the risk for child and adolescent psychiatric disorders, 661-68
- Maternal Substance Abuse (MA) Checklist, 609, 611-12, 614
- Media
in alcohol advertising, 896-906
- Medical Outcomes Study, 270
- Medicare inpatients
elderly, with substance use disorders, characteristics and predictors of hospital readmissions, 891-95
- Medicare Provider Analysis and Review file (MEDPAR), 892-94
- Medications
to prevent relapse
anonymous survey of Alcoholics Anonymous member attitudes on, 134-38
negative attitudes toward, 137
- Medico-legal autopsies
of alcohol use and unnatural deaths, in Sweden, 507-14
- Men
antisocial alcoholics, home interactions with family, 72-80
course of alcoholism among, in the Lundby Longitudinal Study, 320-22
mortality in male alcoholics, 853-61
young, at risk for alcoholism and/or anxiety disorders, alcohol effects on baseline startle and prepulse inhibition in, 46-54
- Mental health care (*see also* individual mental health diagnoses)
- Alcohol Use Disorders Identification Test (AUDIT) in, factor structure of, 751-58
and course of remission, in patients with substance use and posttraumatic stress disorders, 247-53
improving patients' outcomes through specialty, nationwide program to monitor the quality of care for patients with substance use disorders, 704-13
- Meta-analytic integrations
and the validity of the Michigan Alcoholism Screening Test (MAST), in psychiatric settings, 255
- Methodologies, 487-88**
- Methylphenidate treatment
for myelinolysis, and neuropsychiatric symptoms, 657-60
- Metropolitan Statistical Areas (Mass), 268, 275
- Mexican-American DUI offenders
drinking among, DSM-IV alcohol and drug dependence and, 420-26
variables associated with, 698-703
- Mice
relationship between brain catalase activity and ethanol-induced locomotor activity in, psychopharmacological study of, 493-98
- Michigan Alcoholism Screening Test (MAST), 25, 39, 75, 745, 748, 838, 916, 918-19
validity in psychiatric settings, a meta-analytic integration, 254-61
- Minnesota Multiphasic Personality Inventory (MMPI), 39-40, 73, 829, 839, 841, 858-59
- Mobilizing communities
for change on alcohol, outcomes from a randomized community trial, 85-94
- Models (*see also* Computer models)
affect-mediation, 467
confirmatory factor analysis, 178, 180, 381, 676
of drinking tendencies, in college freshmen and upperclassmen, 598-602
multivariate, 369
- Moderation-Oriented Cue Exposure (MOCE), 561-63, 565-68
randomized controlled trials of, 561-70
- Monitoring program
on the quality of care for patients with substance use disorders, specialty mental health care improving outcomes, 704-13
- Monopoly outlets
over-the-counter alcohol sales *versus* self-service in, 95-100
- Mood regulation
alcohol expectancies for negative, and problem drinking among college students, 332-40
- Mortality (*see also* Alcoholic liver cirrhosis mortality; Fatalities; Unnatural deaths)
in male alcoholics, 853-61
reducing, moderate intake of wine associated with, 652-56
- Mother's milk
alcohol transmitted in, 484*
- Motivation to seek treatment
factors affecting, in severely dependent alcoholics, 548-60
- Motivational conflict
effect on response inhibition under alcohol, 239-46
- Motivational Enhancement Therapy (MET), 56, 140-43, 220-21
- Movement-related potentials
alcohol effects on, measuring impulsivity, 24-31
- Multi-ethnic youth
adolescent individuation and alcohol use in, 588-97
- Multivariate models, 369
- Myelinolysis

- methylphenidate treatment for, and neuropsychiatric symptoms, 657-60
- Naloxone, 650
- Naltrexone, 134
- National Alcohol Survey (NAS), 617-18, 620, 698, 700, 795
- National Ambulatory Medical Care Survey, 429
- National Automotive Sampling System/Crashworthiness Data System (NASS/CDS), 388
- National Center for Health Statistics, 150, 856
- National Council on Alcoholism
alcohol diagnoses, 5, 439
- National Health Interview Survey (NHIS), 617
- National Highway Traffic Safety Administration (NHTSA), 387, 396, 402
- National Household Survey on Drug Abuse (NHSDA), 302-3
- National Institute of Mental Health, 581
- National Institute on Alcohol Abuse and Alcoholism (NIAAA), 101, 112, 291, 387, 736, 787, 897, 904
National Advisory Council (NAC) of, 220, 224
- National Institute on Drug Abuse, 302
Collaborative Cocaine Treatment Study (NCCTS), 714-15, 718
- National Longitudinal Alcohol Epidemiology Survey (NLAES), 112-13, 267-68, 617-18, 620, 639, 644, 783
- National Longitudinal Survey of Labor Market Experience in Youth, 524
- National Longitudinal Survey of Youth (NLSY), 290-91, 293, 298, 524
- 1996 National Roadside Survey (96NRS), 387-88, 390
- National Survey of Psychiatric Practice (NSPP), 427
- National surveys
of alcohol-related problems, among Hispanic groups, 301-10
of the development of heavy drinking, from ages 18 to 37, 290-300
prospective follow-up in, adolescent and young adult antisocial behavior and adult alcohol use disorders, 524-28
of psychiatric patients, alcohol abuse and dependence in, 427-30
of training in substance use disorders, in residency programs, 912-15
- Nationwide monitoring program
on the quality of care for patients with substance use disorders, specialty mental health care improving outcomes, 704-13
- Native American drinkers, 318-19 (*see also* Alaska Natives)
comorbidity of alcoholism with psychiatric symptoms, 151
seeking inpatient treatment for substance abuse, characteristics of, 541-47
- Natural recovery
from alcohol dependence, gender differences in, 783-86
- Negative affect
influence on stress in alcohol use and alcohol-related problems, in young adults, 466-74
- Negative Alcohol Expectancy Questionnaire (NAEQ), 164-66, 178, 185
- Negative mood regulation (NMR)
alcohol expectancies for, and problem drinking among college students, 332-40
- Negative mood regulation scale, 334
- Negative priming paradigm
alcohol affects processing of ignored stimuli in, 571-78
effect of alcohol on responses to positively and negatively primed stimuli, 872-80
- NEO-Personality Inventory (NEO-PI), 838, 840
- Networks
peer, among heavy, regular and infrequent drinkers, prior to marriage, 669-73
- Neuropsychiatric symptoms
and methylphenidate treatment, for myelinolysis, 657-60
- Neuropsychological deficits
in female adolescent substance abusers, better accounted for by conduct disorder, 809-17
- Neurotransmitter pathways
sensitive to ethanol, 9-10, 237
- Newman-Keuls' test, 694 (*see also* Student-Newman-Keuls post hoc tests)
- Niagara Young Adult Health Study (NYAHS), 467-71, 473
- Nondistressed parents
young adult children of, 836-44
- Norms for drinking, *see* Social control; Workplace drinking norms
- Norway
outlet density and criminal violence in, 907-11
- Nquery Advisor software, 685
- Observations on the same communities
repeated, intraclass correlations from a community-based alcohol prevention study, 881-90
- Obsessive-Compulsive Drinking Scale, 221, 223
- Occupational attainment
alcohol involvement and, 286-87
- Odds ratios (ORs), 103-6, 434
- Onset, *see* Early onset alcoholism
- Open-ended question format
self-reported frequency of drinking assessed with, split-sample study in Switzerland, 450-54
- Opportunistic Self-Efficacy (OSE) scale, 354
- Organizational cultures
social control and workplace drinking norms in, 203-19
- Outcomes
for clients
specialty mental health care improving, nationwide program to monitor the quality of care for patients with substance use disorders, 704-13
in treatment for disorders of alcohol use, 720-27
of drinking, measuring in clinical trials, 55-63
of long-term alcohol use disorders, comparing untreated individuals with those in Alcoholics Anonymous and formal treatment, 529-40
from a randomized community trial, mobilizing communities for change on alcohol, 85-94
- Outlet density (*see also* Monopoly outlets)
and criminal violence, in Norway, 907-11
- Outpatient Clinic database (OPC), 249
- Over-the-counter sales of alcoholic beverages
change to self-service, in monopoly outlets, 95-100
- Parent-Adolescent Communication Scale (PAC), 591
- Parent-child conflict
a family risk factor, for alcohol-related consequences and poor adjustment, in fraternity and sorority members, 818-26
- Parental antisocial personality disorder, 662
- Parenting Stress Index-Short Form, 609
- Parents
alcoholic, depressed and nondistressed, young adult children of, 836-44
- Partner type
among heterosexual adolescents and young adults, alcohol use and, 413-19
- Patterns of drinking, *see* Drinking, patterns of

- Peabody Individual Achievement Test-Revised (PIAT-R), 812-13
- Peak blood alcohol, 574
- predictors of, an empirical test of computer models, 187-91
- Peer networks
- prior to marriage, among heavy, regular and infrequent drinkers, 669-73
- Per capita consumption
- changes in, mirroring changes in drinking patterns, 622-25
- Percentage Days Abstinent (PDA), 58, 564-69
- Percentage of Days Drinking (PDD), 58
- Perception
- alcohol effects on sexual, 688-97
- Personal Authority in the Family System Questionnaire (PAFS-Q), 591
- Personality
- and Lateralized Readiness Potential, 28-29
- Personality disorders (PDs), 178-79, 183, 185
- Personality Disorders Questionnaire-Revised (PDQ-R), 179-80
- Personalized assessment feedback for problem drinking
- providing on the Internet, a pilot project, 794-98
- Personalized Drinking Profile, 796
- Pharmacogenetics (*see also* Psychopharmacological studies; individual medications)
- of responses to alcohol, and genes that influence alcohol drinking, 5-12
- Pharmacokinetics
- of ethanol absorption, 6
- Phenobarbital-Chlorpromazine-Alcohol scale (PCAG), 65
- Pilot studies
- providing personalized assessment feedback for problem drinking, on the Internet, 794-98
 - SPECT, of hypoperfusion of inferior frontal brain regions in abstinent alcoholics, 32-37
- Poor adjustment
- a family risk factor, in fraternity and sorority members, role of the parent-child conflict, 818-26
- Positive affect
- influence on stress in alcohol use and alcohol-related problems, in young adults, 466-74
- Positive and Negative Affect Scales (PANAS), 468
- Positive priming paradigm
- effect of alcohol on responses to positively and negatively primed stimuli, 872-80
- Post-intoxication state, *see* Hangover symptoms
- Postdrinking sexual inferences, 169
- Posttraumatic stress disorder (PTSD)
- patients with, mental health care and course of remission in, 247-53
- Practice Research Network (PRN), 427-28
- Precueing of attention
- alcohol effects on exogenous, 232-38
- Predictors (*see also* Screening; Signal detection approach)
- of alcohol-related problems, restraint in drinking *versus* alcohol expectancies as, 352-59
 - of college student drinking behavior, expectancies, evaluations and attitudes, 323-31
 - of hospital readmissions, in elderly Medicare inpatients with substance use disorders, 891-95
 - of peak blood alcohol, an empirical test of computer models, 187-91
 - of self-help group attendance, in cocaine dependent patients, 714-19
 - of the therapeutic alliance, in alcoholism treatment, 139-49
- Predisposing factors
- for alcoholism, 9-10
- Pregnancy
- maternal smoking and drinking during, and the risk for child and adolescent psychiatric disorders, 661-68
- PRELIS, 552-53
- Prenatal alcohol exposure
- risk for effects of, early identification of, 607-16
- Preoccupation with Alcohol Scale (PAS), 766-67
- Prepulse inhibition (PPI)
- alcohol effects on, in young men at risk for alcoholism and/or anxiety disorders, 46-54
- Prevalence estimates
- of alcohol dependence and social consequences, effect of screening on, 617-21
- Prevention measures
- and alcoholic liver cirrhosis mortality, direct and indirect relationships, 499-506
 - community-based, intraclass correlations from, effect of repeat observations on the same communities, 881-90
- Primary care patients
- comparing with the regional general population, in patterns of drinking and alcohol dependence, 130-33
- Priming paradigm
- for alcohol affects processing of ignored stimuli, negative, 571-78
 - for effect of alcohol on responses to stimuli, negative and positive, 872-80
 - for ethanol effects on social drinkers, individual differences in, 64-71
- Problem drinking (*see also* Alcohol-related problems)
- among college students, alcohol expectancies for negative mood regulation and, 332-40
 - odds of, 126-27
 - providing personalized assessment feedback on the Internet, a pilot project, 794-98
- Problems from Substance Use Scale, 248
- Processing, *see* Alcohol affects processing; Automated processing
- Profile of Mood States (POMS), 65, 68, 70
- Prognoses, *see* Assessment; Early identification; Predictors; Screening; individual diagnoses; individual instruments
- Project MATCH, 56-57, 60-61, 139-42, 224, 456-59, 563-64, 721-24, 736, 787-88
- Project Northland, 85-86
- Prospective studies
- of adolescent and young adult antisocial behavior and adult alcohol use disorders, follow-up to a national survey, 524-28
 - epidemiological, 320
 - of high-risk student drinkers, and role attainment in early adulthood, 278-89
 - of relapse among alcohol dependent men and women, in relation to self-efficacy expectancies, 345-51
- Protecting inner-city adolescents
- from alcohol use, role of general and specific competence skills, 379-86
- Protracted alcohol withdrawal syndrome (PAWS), 759-60, 763-65
- Psychiatric Diagnostic Interview (PDI), 39
- Psychiatric disorders
- child and adolescent, risks from maternal smoking and drinking during pregnancy, 661-68
 - comorbidity with alcoholism, 150-51
- Psychiatric patients
- national sample of, alcohol abuse and dependence in, 427-30
- Psychiatric settings
- validity of Michigan Alcoholism Screening Test (MAST) in, a meta-analytic integration, 254-61

- Psychopharmacological studies
of the relationship between brain catalase activity and ethanol-induced locomotor activity, in mice, 493-98
- PsyScope software, 874
- Purpose in Life (PIL) scale, 144
- Quality of care
for patients with substance use disorders, a nationwide program to monitor, specialty mental health care improving outcomes, 704-13
- Quality of Relationships Inventory (QRI), 820
- Quantity-frequency index (QFI), 33, 75, 131, 206, 335, 543-45
- Question format
closed- or open-ended, self-reported frequency of drinking assessed with, split-sample study in Switzerland, 450-54
- Questionnaire of Alcohol Urges, 864
- Randomized clinical trials (RCTs), 531, 720-27, 787-88
- Randomized trials
controlled, of moderation-oriented cue exposure, 561-70
versus open, of treatment for alcohol use disorders, comparison of outcomes for clients in, 720-27
- Rapid Alcohol Problems Screen (RAPS4)
brief screening instrument for problem drinking, in the emergency room, 447-49
- Rats, *see* Mice; UChA and UChB rats
- Reaction time (RT), 232-37
- Reactivity effects
subject, and alcohol treatment outcome research, 787-93
- Readiness
to change drinking, among heavy-drinking college students, 674-80
- Reasons for Limiting Drinking Scale (RLD), 767-68
- Receiver operating characteristic (ROC) curve, 582-83
- Recovery
alcoholic families in, 775-76*
natural, from alcohol dependence, gender differences in, 783-86
- Reducing harmful alcohol-related behaviors
effective regulatory methods for, 402-12
- Reducing mortality
moderate intake of wine associated with, 652-56
- Regional cerebral blood flow (rCBF) measures, 32
semiquantitative analysis of, 33
- Regional general population
comparing with primary care patients, in patterns of drinking and alcohol dependence, 130-33
- Regulation
of alcohol intake, and the validity and utility of the Temptation and Restraint Inventory, 766-73
methods for reducing harmful alcohol-related behaviors, 402-12
- Relapse
among alcohol dependent men and women, in relation to self-efficacy expectancies, a prospective study, 345-51
Gorski's warning signs for, simple scale of, 759-65
use of medications to prevent, anonymous survey of Alcoholics Anonymous member attitudes on, 134-38
- Relative risks
of driver fatalities and driver involvement in fatal crashes, in relation to driver age and gender, 387-95
- Reliability
of the German version of the European Addiction Severity Index (EuropASI), 916-19
- Remission
course of, in patients with substance use and posttraumatic stress disorders, mental health service use and, 247-53
- Repeat observations on the same communities
intraclass correlations from a community-based alcohol prevention study, 881-90
- Research Diagnostic Criteria (RDC), 74, 532, 837
- Research follow-up interviews
on alcohol treatment, and drinking behaviors, 736-43
- Research protocols
alcohol challenge, drinking in alcoholics following, 220-24
- Residency programs
training in substance use disorders in, national surveys of, 912-15
- Responses to alcohol
inhibition, effects of cognitive and motivational conflict on, 239-46
low level of, in relation to developing alcohol use disorders, 827-35
pharmacogenetics of, and genes that influence alcohol drinking, 5-12
- Responses to threat
frontal EEG, and family history of alcoholism, 38-45
- Restrained Drinking Scale (RDS), 352
- Restrained Eating Scale, 352
- Restraint in drinking
versus alcohol expectancies, as indicators of alcohol problems, 352-59
- Restriction
and the validity and utility of the Temptation and Restraint Inventory, 766-73
- Revised Ways of Coping Checklist (RWCCCL), 334
- Risks (*see also* Family risk factors)
of alcoholism and/or anxiety disorders, alcohol effects on baseline startle and prepulse inhibition in young men, 46-54
of child and adolescent psychiatric disorders, from maternal smoking and drinking during pregnancy, 661-68
of drinking and driving, beverage-specific, 515-23
of driver fatalities and driver involvement in fatal crashes, in relation to driver age and gender, 387-95
of prenatal alcohol exposure, early identification of, 607-16
- Risky behavior
AIDS-related, 174
HIV infection and, in heterosexuals in alcoholism treatment, cross-sectional surveys of, 262-66
- Role attainment in early adulthood
student drinkers and, a prospective high-risk study, 278-89
- Rural at-risk drinkers
correlates and use of alcoholism treatment services, 267-77
- Rutgers Alcohol Problem Index (RAPI), 820-22
- Samples (*see also* Split-sample studies)
mental health clinic, using the Alcohol Use Disorders Identification Test (AUDIT) in, factor structure of, 751-58
- SAS PROC MIXED, 89, 867, 884
- Schedule for Affective Disorders and Schizophrenia for School-Aged Children (K-SADS), 663-64, 811
- Schedule for Affective Disorders and Schizophrenia (SADS), 729, 828
Lifetime version (SADS-L), 48, 74, 838
- Schizophrenia cases
usefulness of the Alcohol Use Disorders Identification Test (AUDIT) in, 744-50
- Scientific Temperance Instruction (STI), 774-75*
- Screening (*see also* individual instruments)

- of adolescents, for problem drinking, performance of brief screens against DSM-IV alcohol diagnoses, 579-87
- effect on prevalence estimates, of alcohol dependence and social consequences, 617-21
- in the emergency room, for problem drinking, the RAPS4, 447-49
- modifications of instruments for, 581-82
- Seasonality
 - in alcohol advertising, 896-906
- Seeking of Noetic Goals (SONG) scale, 144
- Self-administration of ethanol
 - intracranial, 8
- Self-efficacy expectancies
 - in relation to relapse among alcohol dependent men and women, a prospective study, 345-51
- Self-fulfilling prophecy analyses, 169, 173
- Self-help group attendance
 - predictors of, in cocaine dependent patients, 714-19
- Self-regulation theory, 789-91
- Self-reporting
 - of alcohol expectancies, 164
 - of frequency of drinking, 56
 - assessed with a closed- or open-ended question format, split-sample study in Switzerland, 450-54
 - of urge to drink, 159
- Self-service sales of alcoholic beverages
 - change from over-the-counter, in monopoly outlets, 95-100
- Semi-Structured Assessment for the Genetics of Alcoholism (SSAGA), 151-54, 729
- Semi-structured interviews, 14
- Sensitivity, *see* Alcohol sensitivity
- Severely dependent alcoholics
 - factors affecting motivation to seek treatment, 548-60
- Severity of Alcohol Dependence Questionnaire (SADQ), 561, 563-64, 566-69
- Sexual Effects of Drinking Questionnaire (SEDQ), 170
- Sexuality
 - alcohol effects on perception, 688-97
 - alcohol expectancies and, analysis of dyadic perceptions and behavior, 168-76
 - postdrinking inferences, 169
- Sexually transmitted diseases (STDs), 263, 265
- Shapiro-Wilk test, 389-91
- Shipley Institute of Living scale (SILS), 57, 543
- Short Michigan Alcoholism Screening Test (SMAST), 280, 769-72, 820-21, 824
- Signal detection approach
 - to alcohol consumption, among white-collar workers, 462-65
- Single Distribution theory, 622
- Single photon emission computed tomography (SPECT) study
 - of hypoperfusion of inferior frontal brain regions in abstinent alcoholics, 32-37
 - regional analysis method, 33-34
 - scanning procedure, 33
- Situational Confidence Questionnaire (SCQ), 345-50
- Skills
 - general and specific competence, role in protecting inner-city adolescents from alcohol use, 379-86
- Skin conductance responses (SCRs), 18-21
- Slosson Oral Reading Test, 103
- Small for gestational age (SGA), 607
- Smoking
 - among alcoholics in treatment, cross-sectional and longitudinal relationships with drinking, 157-63
 - maternal, and drinking during pregnancy, risk for child and adolescent psychiatric disorders, 661-68
- Social Adjustment Scale-Self-Report (SAS-SR), 839
- Social control
 - and consequences of drinking, effect of screening on prevalence estimates of, 617-21
 - and workplace drinking norms, comparison of organizational cultures, 203-19
- Social drinkers
 - priming effect of ethanol in, individual differences, 64-71
- Social Pressure Self-Efficacy (SPSE) scale, 354
- Social Provision Scale (SPS), 829
- Social Support Questionnaire, 144
- Social Support System (SocS), 829-33
- Socialization Scale (SSQ), 25, 28
- Sources of alcohol
 - alcohol home delivery services, for underage drinkers, 81-84
 - outlet density, and criminal violence, in Norway, 907-11
 - over-the-counter sales *versus* self-service, in monopoly outlets, 95-100
- Southern California Research Institute, 394
- Specialty mental health care
 - improving patients' outcomes, nationwide program to monitor the quality of care for patients with substance use disorders, 704-13
- Spheres of Control Scale, 381
- Spielberger State Anxiety Inventory, 543
- Split-sample studies
 - of self-reported frequency of drinking assessed with a closed- or open-ended question format, in Switzerland, 450-54
- "Stably insured"
 - problems of, and patterns of drinking, a study of the membership of a health maintenance organization, 121-29
- Stages
 - in alcohol use, 800, 802
- Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES), 249, 674-79, 722-24
- Standard units (SU) of alcohol, 19, 131
- Standardized mortality ratios (SMRs), 857, 859
- Startle reflex (*see also* Baseline startle)
 - eyeblink component of, 48-49
- STATA software, 263
- State-Trait Anxiety Inventory (STAI), 40, 334
- Statistical Package for the Social Sciences (SPSS) software, 104, 159, 347
- Statistical significance testing (SST), 487**
- Stimuli, 19-20
 - alcohol affects processing of ignored, in a negative priming paradigm, 571-78
 - alcoholics' selective attention to, and automated processing, 18-23
 - effect of alcohol on responses to, negatively and positively primed, 872-80
 - shock-delivery, 40
- Stimulus onset asynchrony (SOA), 232-37
- Stress (*see also* Posttraumatic stress disorder; Work stressors)
 - in alcohol use and alcohol-related problems, influence of negative and positive affect in young adults, 466-74
- Stress-coping process, 332
- Stroop Color-Word task, 571-74, 577-78, 812
- Structural equation modeling (SEM), 381-82, 467, 469-72, 551-52
- Structural imaging studies, 32
- Structured Clinical Interview (SCID), 103, 140, 143, 159, 346, 441-42
- Student drinkers (*see also* Fraternity and sorority members)
 - alcohol expectancies among, for negative mood regulation, 332-40
 - predictors of, expectancies, evaluations and attitudes, 323-31

- readiness to change drinking among, 674-80
 and role attainment in early adulthood, a prospective high-risk study, 278-89
 theoretical models of drinking tendencies among, in college freshmen and upperclassmen, 598-602
 Student-Newman-Keuls (SNK) post hoc tests, 179
 Studies, *see* Anonymous surveys; Clinical trials; Cross-sectional surveys; Epidemiological studies; High-risk studies; National surveys; Pilot studies; Prospective studies; Samples; Split-sample studies
 Study of Psychiatric Patients and Treatments, 427
 Stunkard's Restrained Eating Scale, 352
 Subject reactivity effects
 and alcohol treatment outcome research, 787-93
 Subjective High Assessment Scale (SHAS), 828
 Substance abuse (*see also* Alcoholics; Cocaine dependent patients; Marijuana users)
 elderly Medicare inpatients with, characteristics and predictors of hospital readmissions, 891-95
 and family history of alcoholism, family history of violence and childhood conduct problems, 845-52
 in female adolescents, with neuropsychological deficits, better accounted for by conduct disorder, 809-17
 inpatient treatment for, characteristics of Native Americans seeking, 541-47
 national surveys of training on, in residency programs, 912-15
 patients with
 mental health care and course of remission in, 247-53
 nationwide program to monitor quality of care for, specialty mental health care improving outcomes, 704-13
 Substance Abuse Outcomes Module (SAOM), 848
 Substance-related artifact hypothesis, 101-2
 Substance use disorders (SUDs), 247, 541
 SUDAAN software, 113, 303, 618, 639-40
 Surveys (*see also* Anonymous surveys; Cross-sectional surveys; National surveys; Samples)
 computer assisted telephone interviewing, 627
 Sweden
 course of alcoholism among men, in the Lundby Longitudinal Study, 320-22
 medico-legal autopsies in, alcohol use and unnatural deaths, 507-14
 Switzerland
 self-reported frequency of drinking assessed with a closed- or open-ended question format, split-sample study of, 450-54
 Symbol-Digit Modalities Test, 57
 Symptoms Checklist-90-R (SCL-90-R), 609, 916, 918-19

 T-ACE, 745
 Temperance movement, 774-75*
 Temptation Restraint Inventory (TRI), 352, 354, 357
 validity and utility of, 766-73
 Tendencies, *see* Drinking tendencies
 Terminating Period of Abstinence (TPA), 458-60
 Test of Language Competence-Expanded (TLC-E), 812
 Theoretical models
 of drinking tendencies, in college freshmen and upperclassmen, 598-602
 Therapeutic alliance
 predictors of, in alcoholism treatment, 139-49
 Threat
 electroencephalogram response to, 43
 frontal EEG response to, and family history of alcoholism, 38-45

 Time-Line Follow-Back (TLFB) Assessment Method, 56, 159, 347, 457, 739, 741
 Tolerance
 acute, in the F2 generation of UChA and UChB rats, 647-51
 withdrawal and, prognostic significance in DSM-IV alcohol dependence, 431-38
 Trails-making test, 57
 Training
 in substance use disorders, national surveys of residency programs, 912-15
 Trait-state artifact hypothesis, 102
 Transplant corporate culture, 205, 215
 Treatment (*see also* Hospital readmissions; Inpatient treatment)
 Alaska Natives entering, gender comparison of alcohol dependence among, 150-56
 availability of, 155-56
 correlates between rural at-risk drinkers, and use of services, 267-77
 factors affecting motivation to seek, in severely dependent alcoholics, 548-60
 formal, recipients of compared with untreated individuals, and outcomes of long-term alcohol use disorders, 529-40
 heterosexuals in, HIV infection and risky behavior, cross-sectional surveys of, 262-66
 methylphenidate, for myelinolysis, and neuropsychiatric symptoms, 657-60
 predictors of the therapeutic alliance in, 139-49
 randomized *versus* open trials of, comparison of outcomes for clients in, 720-27
 smoking and drinking among alcoholics in, cross-sectional and longitudinal relationships, 157-63
 Treatment Experiences Form (TEF), 249
 Treatment Outcome Prospective Study inventories, 248
 Treatment outcome research
 follow-up interviews, and drinking behaviors, 736-43
 subject reactivity effects and, 787-93
 Trials
 clinical, measuring drinking outcomes, 55-63
 group-randomized, 881, 889
 randomized
 controlled, of moderation-oriented cue exposure, 561-70
 versus open, comparison of outcomes for clients in, 720-27
 Tridimensional Personality Questionnaire (TPQ), 829
 TWEAK, 579-80, 582-85, 745, 749
 Twelve-Step Facilitation (TSF), 56, 140-43
 Type I and Type II alcoholism, 367, 637
 Typologies
 of the cultural position of drinking, 475-83

 UChA and UChB rats
 F2 generation of, acute tolerance, alcohol sensitivity and drinking pattern in, 647-51
 Underage drinkers
 sources of alcohol for, alcohol home delivery services, 81-84
 Union-management relations, 216-17
 University of Rhode Island Change Assessment (URICA) scale, 143, 146, 674
 Unnatural deaths
 alcohol use and, medico-legal autopsies, in Sweden, 507-14
 Untreated individuals
 compared with those in Alcoholics Anonymous and formal treatment, and outcomes of long-term alcohol use disorders, 529-40
 U.S. Department of Transportation, 388
 U.S. National Health Interview Survey (NHIS), 617, 620

- U.S. Preventive Services Task Force, 912
- VA Outpatient Clinic database (OPC), 249
- Validity
- of the German version of the European Addiction Severity Index (EuropASI), 916-19
 - of the Michigan Alcoholism Screening Test (MAST), in psychiatric settings, a meta-analytic integration, 254-61
 - of the Temptation and Restraint Inventory, 766-73
- Verapamil, 229
- Violence
- alcohol-related, 153
 - criminal
 - associated with alcohol intoxication, 24
 - and outlet density, in Norway, 907-11
 - family history of, and developing substance-related problems, gender differences in, 845-52
- Visual analog scales (VAS), 65
- Warning signs for relapse
- Gorski's, simple scale of, 759-65
- Ways of Coping (WOC) scale, 829, 832
- Wechsler Adult Intelligence Scale-Revised (WAIS-R), 33, 65, 812
- Wechsler Intelligence Scale for Children-Revised (WISC-R), 812
- Wechsler Memory Scale-Revised (WMS-R), 33
- Weekly Self-Help Questionnaire (WSH), 716
- White-collar workers
- alcohol consumption among, and work stressors, a signal detection approach, 462-65
- White DUI offenders
- drinking among, DSM-IV alcohol and drug dependence and, 420-26
 - variables associated with, 698-703
- Wine
- moderate intake associated with reduced total mortality and reducing mortality from cardiovascular disease, 652-56
- Withdrawal syndrome, 153, 155
- and tolerance, prognostic significance in DSM-IV alcohol dependence, 431-38
- Withdrawal Syndrome Scale for Alcohol and Related Psychoactive drugs, 916
- Women
- adolescents with a substance use disorder, neuropsychological deficits in, better accounted for by conduct disorder, 809-17
 - pregnant, maternal smoking and drinking while, and the risk for child and adolescent psychiatric disorders, 661-68
- Women's Christian Temperance Union (WCTU), 774-75*
- Work-related drinking, 207
- Work Stress Questionnaire, 829
- Work stressors
- and alcohol consumption among white-collar workers, a signal detection approach, 462-65
- Workers, *see* White-collar workers
- Working Alliance Inventory (WAI) ratings, 140, 142-46
- Workplace drinking norms
- social control and, comparison of organizational cultures, 203-19
- World Health Organization, 131, 440, 478-79
- Yale-Brown Obsessive Compulsive Scale (Y-BOCS), 772
- Young adult children
- of alcoholic, depressed and nondistressed parents, 836-44
- Young adult drinkers
- alcohol abuse and dependence in, developmental pathways to, 799-808
 - antisocial behavior in, and adult alcohol use disorders, prospective follow-up in a national survey, 524-28
 - partner type among, and condom use, 413-19
 - role attainment in, a prospective high-risk study of student drinkers, 278-89
 - stress in alcohol use and alcohol-related problems in, influence of negative and positive affect, 466-74
- Young men
- at risk for alcoholism and/or anxiety disorders, alcohol effects on baseline startle and prepulse inhibition in, 46-54
- Zuckerman Sensation Seeking Scale, 829